

Screening Site Inspection

Final Report

for

Perma-Treat of Illinois, Inc.

ILD 063 698 971

October 24, 1996

Prepared for
U.S. Environmental Protection Agency
Contract 68-W8-0064
Work Assignment 29-5JZZ

John John

DEC 04 1996 SE-5J

Mr. Richard Fedeli 923 Fairview Avenue Rockford, Illinois 61101 ILD 053 191547

Re: Smith Oil (AKA Premium Oil Site)

Dear Mr. Fedeli:

On November 11, 1996, our contractor performed an inspection at your facility the Smith Oil Site. Enclosed please find the Screening Site Inspection Report from that inspection. The purpose of the assessment process was to determine whether hazardous substances were released to the environment, and to determine if specific targets have been impacted.

The report was reviewed by the United States Environmental Protection Agency (USEPA) and the Illinois Environmental Protection Agency (IEPA), and is being forwarded to you as a courtesy. The enclosed report includes a site description, a summary of analytical data for field samples, topographic information, site specific maps, and photographs. The USEPA has in its files the raw analytical data for the field samples which can be made available to you upon submittal of a Freedom of Information Request to FOIA Officer, at the above address, if you wish to perform an independent review of the data.

This completes the assessment phase of our investigation. The results of the inspection indicate that further work is required. Because of the USEPA's site disposition decision you may want to further assess and clean up the site. A voluntary clean-up plan can be developed with the assistance of environmental consultants and the IEPA. The IEPA contact can assist you in developing the plan to ensure that the assessment and clean-up strategies address Federal, State and local regulations. Working closely with the IEPA voluntary program staff could significantly reduce the potential for later Federal government involvement. The contact at the IEPA, is Robert O'Hara, IEPA, 2200 Churchill Road, Springfield, Illinois 62794-9276.

FSR-853 ERB-853 12-4-96 \$12/3/94

If you have any comments, please forward them to me in writing at the address on the letterhead or call Jeanne Griffin, of my staff, at (312) 886-3007.

Thank you for your cooperation.

Sincerely yours,

Frank Rollins, Chief Response Section #3

Enclosures

Mr. Rudy J. Bond P.O. Box 99 Marion, Illinois 62959

Re: Perma-Treat of Illinois, Inc.

Dear Mr. Bond:

On March 23, 1994, our contractor performed an inspection at your facility the Perma-Treat of Illinois. Enclosed please find the Screening Site Inspection Report from that inspection. The purpose of the assessment process was to determine whether hazardous substances were released to the environment, and to determine if specific targets have been impacted.

The report was reviewed by the United States Environmental Protection Agency (USEPA) and the Illinois Environmental Protection Agency (IEPA), and is being forwarded to you as a courtesy. The enclosed report includes a site description, a summary of analytical data for field samples, topographic information, site specific maps, and photographs. The USEPA has in its files the raw analytical data for the field samples which can be made available to you upon submittal of a Freedom of Information Request to FOIA Officer, at the above address, if you wish to perform an independent review of the data.

This completes the assessment phase of our investigation. The results of the inspection indicate that further work is required. Because of the USEPA's site disposition decision you may want to further assess and clean up the site. A voluntary clean-up plan can be developed with the assistance of environmental consultants and the IEPA. The IEPA contact can assist you in developing the plan to ensure that the assessment and clean-up strategies address Federal, State and local regulations. Working closely with the IEPA voluntary program staff could significantly reduce the potential for later Federal government involvement. The contact at the IEPA, is Robert O'Hara, IEPA, 2200 Churchill Road, Springfield, Illinois 62794-9276.



If you have any comments, please forward them to me in writing at the address on the letterhead or call Jeanne Griffin, of my staff, at (312) 886-3007.

Thank you for your cooperation.

Sincerely yours,

Frank Rollins, Chief Response Section #3

Enclosures

If you have any comments, please forward them to me in writing at the address on the letterhead or call Jeanne Griffin, of my staff, at (312) 886-3007.

Thank you for your cooperation.

Sincerely yours,

Frank Rollins, Chief Response Section #3

Enclosures

Contents

1.0	Intro	oduction
2.0	Site	Background 2-1
	2.1	Introduction
	2.2	Site Description
	2.3	Site History
		2.3.1 Operational History
		2.3.2 Summary of Onsite Environmental Work 2-3
	2.4	Applicability of Other Statutes
3.0	Site	Inspection Activities and Analytical Results 3-1
	3.1	Introduction 3-1
	3.2	Site Reconnaissance 3-1
	3.3	Site Representative Interview 3-1
	3.4	Groundwater Sampling 3-1
	3.5	Surface Water Sampling
	3.6	Soil Sampling 3-6
	3.7	Air Sampling 3-7
	3.8	Analytical Results
	3.9	Key Samples
4.0	Chai	racterization of Sources 4-1
	4.1	Introduction
	4.2	Contaminated Soil 4-1
		4.2.1 Description
		4.2.2 Waste Characteristics
		4.2.3 Potentially Affected Migration Pathways 4-1
	4.3	Other Potential Sources Within One Mile 4-2
5.0	Disc	ussion of Migration Pathways5-1
	5.1	Introduction
	5.2	Groundwater 5-1
	5.3	Surface Water

Contents (Continued)

6.0 References	
	Tables
Table 3-2 Key Sar	Descriptions
	Figures
Figure 2-2 Site Sk Figure 3-1 Onsite	on Map 2-2 etch 2-4 Sample Locations 3-2 Sample Locations 3-3
	Appendices
Appendix A	Site 4-Mile Radius Map and 15-Mile Surface Water Route Map
Appendix B	USEPA Form 2070-13
Appendix C	Target Compound List and Target Analyte List
Appendix D	Analytical Results
Appendix E	Site Photographs
Appendix F	Representative Well Logs

1.0 Introduction

On August 7, 1991, the Alternative Remedial Contracting Strategy (ARCS) V contractor was authorized by the U.S. Environmental Protection Agency (USEPA) Region V, to conduct a screening site inspection (SSI) of Perma-Treat of Illinois, Inc. (Perma-Treat), in Williamson County, Illinois.

The site was initially placed on the Comprehensive Environmental Response, Compensation, and Liability Act Information System on August 28, 1990, as a result of a request for discovery action initiated by the Illinois Environmental Protection Agency (IEPA).

The facility received its initial Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) evaluation in the form of a preliminary assessment (PA) report completed by the IEPA, on June 28, 1991. The sampling portion of the SSI was conducted on March 23, 1994, when a field team collected seven sediment samples and eight soil samples.

The purposes of the SSI have been stated by USEPA in a directive outlining pre-remedial program strategies. The directive states:

All sites will receive a screening SI to 1) collect additional data beyond the PA to enable a more refined preliminary HRS (Hazard Ranking System) score, 2) to establish priorities among sites most likely to qualify for the NPL (National Priorities List), and 3) to identify the most critical data requirements for the listing [expanded] SI step. A screening SI will not have rigorous data quality objectives (DQOs). Based on the refined preliminary HRS score and other technical judgement factors, the site will then either be designated as NFRAP (no further remedial action planned) or carried forward as an NPL listing candidate. A listing [expanded] SI will not automatically be done on these sites. First, they will go through a management evaluation to determine whether they can be addressed by another authority such as RCRA (Resource Conservation and Recovery Act).... Sites that are designated as NFRAP or deferred to other statutes are not candidates for a listing [expanded] SI.

The listing [expanded] SI will address all data requirements of the revised HRS using field screening and NPL level DQOs. It may also provide needed data in a format to support remedial investigation work plan development. Only sites that appear to score high enough for listing and that have not been deferred to a higher authority will receive a listing [expanded] SI (USEPA, 1988).

USEPA Region V requested the ARCS V contractor to identify sites during the SSI that may require removal action to remediate an immediate human health or environmental threat.

2.0 Site Background

2.1 Introduction

Perma-Treat is at North Carbon Street and Industrial Park Drive in Marion, Illinois. The site is in the northeastern quarter of the southeastern quarter of Section 14, Township 9 South, Range 2 East, in Williamson County. Figure 2-1 presents the site location map.

Perma-Treat manufactures and preserves landscape and dimensioned lumber products using chromated copper arsenate (CCA) in the treatment process. Lumber products are sold onsite and to retail stores for resale at other locations.

Perma-Treat cuts raw lumber to specified sizes. Cut lumber is dried in a kiln and temporarily stored onsite until it can be preserved with CCA.

Virgin product (50 percent CCA solution) is stored onsite in a 7,000 gallon tank. The solution is diluted to 1.2 percent CCA in two mixing tanks (one 10,000 gallon and one 16,000 gallon tank) and is further diluted to an unspecified concentration in an 11,000 gallon effluent tank. The diluted CCA solution is then pumped to an 18,000 gallon working tank. The working tank supplies CCA solution directly to a pressure cylinder as needed to treat lumber.

The pressure cylinder is about 8 feet in diameter and 54 feet long. It has a volume of about 20,000 gallons. In a single operation of the pressure cylinder, 6,000 to 7,000 board feet of lumber are impregnated with CCA at a pressure of 165 pounds per square inch. Perma-Treat uses the pressure cylinder up to eight times a day.

CCA treated lumber is removed from the pressure cylinder to an adjacent drip pad and allowed to dry for 24 to 48 hours. The drip pad is a concrete pad, about 35 feet by 130 feet in size. The pad is covered by a permanent roof mounted on poles. The pad surface slopes to a sump located beneath the pressure cylinder. CCA solution from the treated lumber is collected in the sump along with CCA released when the cylinder door is opened. The sump contents are pumped into the effluent tank and used in the next treatment.

After drying on the drip pad, treated lumber is most often stored in the unpaved storage yard on the western side of the site. During periods of back logged stock, treated lumber is stored wherever there is space (IEPA 1991a).

2.2 Site Description

The Perma-Treat facility consists of an office building, machine shop, treatment building, drip pad, retail sales and storage buildings, and storage yard. Figure 2-2 presents a site sketch.

The 15 acre site is in a mixed use commercial/residential area. The site is bordered to the north by offices in the Marion Industrial Park, a Frito-Lay warehouse, and Todd uniform cleaning service; to the east by a United States Department of Agriculture building, housing the local Soil Conservation Service office, a vacant lot, and Century Lubricant Specialists; to the south by the Crab Orchard and Egyptian Railroad, south of the tracks is a Central Illinois Public Service facility; and to the west by residential homes and an apartment complex.

2.3 Site History

2.3.1 Operational History

The western 10 acres of the existing site were previously owned by the city of Marion. Rudy J. Bond, owner of Perma-Treat, purchased the city property in 1982. Land use by the city of Marion before 1982 is unknown. Perma-Treat began operations at the site in 1982.

2.3.2 Summary of Onsite Environmental Work

Perma-Treat filed a "Notification of Hazardous Waste Activity," USEPA Form 8700-12, on April 12, 1984 (IEPA 1991a). This filing marks the earliest knowledge of the use of hazardous materials at the Perma-Treat site. Section IX of the form indicates Perma-Treat generates a non-listed characteristically toxic (D000) waste.

A release of CCA to a marshy area on the western side of the site occurred in 1985. The area was neutralized with lime, and the affected soil was drummed (IEPA 1991a).

Following a 1986 IEPA Resource Conservation and Recovery Act (RCRA) inspection, Perma-Treat was cited for fugitive dust emissions. Perma-Treat explained that dust originated from onsite truck traffic during dry periods in the summer. No follow-up action was conducted.

On March 25, 1988, Perma-Treat reported to the IEPA that on the previous day, about 125 gallons of nine percent CCA solution had leaked from the pressure cylinder when the door was not properly sealed (IEPA 1991a). About 25 gallons of the solution was released to the soil adjacent to the western side of the drip pad.

An estimated 675 square feet of soil was affected by the release. Thunderstorms occurred that same night.

On March 26, 1988, IEPA personnel noted a green discoloration in the affected soil. IEPA personnel traced the green discoloration approximately 2.5 miles downstream from Perma-Treat to the Route 37 bridge over Crab Orchard Creek. Citing the increased stream flow caused by the thunderstorm and the solubility of CCA in water, IEPA personnel concluded no emergency or remedial action was necessary (IEPA 1988).

Perma-Treat planned to neutralize the affected soil with cement, then remove and dispose of the affected soil. IEPA personnel advised Perma-Treat not to use cement in the ditch as it would cause the metals to precipitate out of solution, increasing the risk of sediment contamination (IEPA 1988).

In a June 20, 1991, RCRA inspection, IEPA personnel found restricted waste stored in an onsite waste pile for more than 90 days (IEPA 1991b).

The IEPA completed a preliminary assessment of Perma-Treat on July 7, 1991 (IEPA 1991a).

On September 19, 1991, the IEPA notified Perma-Treat that the waste pile was in violation of RCRA requirements for generators and storage sites of hazardous waste (IEPA 1991c).

Subject to numerous conditions and modifications, the IEPA approved Perma-Treat's RCRA closure plan for the waste pile on December 11, 1992 (IEPA 1992). The approved closure plan required soil sampling near the southern and eastern sides of the drip pad.

Perma-Treat appealed the IEPA enforcement action seeking closure of the waste pile (IEPA 1993). Perma-Treat won the appeal, halting IEPA's RCRA enforcement action (IEPA 1994).

2.4 Applicability of Other Statutes

Perma-Treat is a RCRA listed full-quantity generator (USEPA 1994).

3.0 Site Inspection Activities and Analytical Results

3.1 Introduction

This section outlines procedures used and observations made during the Perma-Treat SSI. Sampling activities were conducted in accordance with the Quality Assurance Project Plan (QAPjP), dated September 27, 1991. Figures 3-1 and 3-2 show onsite and offsite sample locations, respectively. Table 3-1 provides a summary of sample descriptions and locations.

Appendix B presents the USEPA Potential Hazardous Waste Site Inspection Report (Form 2070-13).

Samples collected for this SSI were analyzed for organic and inorganic substances contained on the USEPA target compound list (TCL) and target analyte list (TAL) by USEPA contract laboratory program participant laboratories. Appendix C presents the TCL and TAL. Appendix D presents a summary of all analytical data generated by SSI sampling. Appendix E contains photographs of the site and sample locations.

3.2 Site Reconnaissance


On July 27, 1993, a reconnaissance of the Perma-Treat site was conducted. This visit included a site representative interview and a visual site inspection to determine the status, facility activities, potential health or safety hazards, and to identify potential sampling locations.

3.3 Site Representative Interview

Mr. Rudy J. Bond and Mrs. C.J. Bond were interviewed by the reconnaissance team on July 27, 1993. The reconnaissance team discussed the purpose of the SSI with the Bonds and gathered site-specific information.

3.4 Groundwater Sampling

No groundwater samples were collected during the sampling trip. The nearest private well is about a tenth of a mile west of the site [Illinois State Water Survey (ISWS) 1993]. However, the nearest private drinking water well is believed to be more than 1 mile from Perma-Treat (IEPA 1991a). Most area residents are supplied






	Table 3-1 Sample Descriptions						
Sample Location Number	ocation Depth Appearance		Location				
ST01	0 - 3 Inches	Sand, brown,with some clay, moist.	Collected 13.5 feet south and 7 feet east of the southwestern corner of the pressure treatment building.				
ST02	0 - 3 Inches	Clayey silt, light brown grading to black, silty clay, moist.	Collected 18 feet east of the center of the eastern end of the Perma-Treat railroad siding.				
ST03	0 - 3 Inches	Clayey sand, light brown, moist.	Collected 35 feet south and 7 feet east of a utility pole near the southwestern corner of the site.				
ST04	0 - 3 Inches Sand, brown, some black material (charcoal), trace clay.		Collected from an unnamed tributary to West Creek, about 10 feet west of the southwestern corner of the Vicksburg Street bridge.				
ST05	0 - 3 Silty clay, brown, wet.		Collected from the eastern bank of West Creek, about 56 feet north of Crab Orchard Creek.				
ST06	0 - 3 Inches	Silty clay, dark brown with organic matter, wet.	Collected from the northern bank of Crab Orchard Creek, about 10 feet west of the Route 37 bridge.				
ST07	0 - 6 Inches	Silty clay, brown with some gravel.	Collected from sediment on the southern side of Crab Orchard Creek, about 36 feet west of the Market Street bridge.				

	Table 3-1 (Continued) Sample Descriptions					
Sample Location Depth Number		Appearance	Location			
SS01	0 - 3 Inches	Silty clay, brown, moist.	Collected 125 feet west of the northwestern corner of the concrete pad north of the dry kiln.			
SS02	0 - 3 Inches	Silty clay, brown, with some organic matter.	Collected 47 feet west and 35 feet south of sample location SS01.			
SS03	SS03 0 - 2 Inches Silty clay, reddishbrown grading brownish-gray, some gravel.		Collected 10 feet north and 24.5 feet east of the northwestern corner of the pressure treatment control room building.			
SS04	0 - 3 Silty clay, brown, some gravel.		Collected 15 feet north and 6 feet east of the northwestern corner of the pressure treatment control room building.			
SS05	SS05 0 - 3 Silty clay, brown, moist.		Collected 41 feet north and 17 feet east of the southeastern corner of the drip pad/pole barn.			
SS06	0 - 3 Inches	Silty clay, brown, some charcoal, moist.	Collected 14 feet south and 17 feet east of the southeastern corner of the drip pad/pole barn.			
SS07	Inches dry. feet corn		Collected 14 feet south and 7 feet west of the southeastern corner of the drip pad/pole barn.			
SS08	0 - 6 Inches	Sandy clay, dark brown.	Collected in Pamela Park, about 33 feet from the west end of Cherry Street.			

with municipal drinking water from Lake Marion; a surface water reservoir located about 2.5 miles south of town.

3.5 Surface Water Sampling

No surface water samples were collected. On March 23, 1994, a field team collected seven sediment (ST) samples with clean, stainless steel spoons. Samples were placed in clean sample jars. Sediment samples were not split with Perma-Treat. Figure 3-1 and Figure 3-2 show onsite and offsite sample locations, respectively. Table 3-1 provides a summary of sample descriptions and locations.

Sediment samples were scheduled for TCL and TAL analysis under a routine analytical services request. Sediment samples scheduled for organic analysis were shipped to Southwest Labs of Oklahoma in Broken Arrow, Oklahoma, on March 24, 1994. Sediment samples scheduled for inorganic analysis were shipped to IT Analytical Services - Export in Export, Pennsylvania, on March 24, 1994.

All reusable sampling and personal protective equipment (PPE) were decontaminated before transport offsite. Disposable sampling and PPE items were discarded in accordance with procedures outlined in the SSI project work plan and QAPiP.

Sample locations ST01 through ST03 are on or adjacent to the site, in the overland flow pathway. Sample locations ST04 through ST06 are downstream from the site. Location ST06 is at the furthest downstream point at which the green discoloration of CCA was observed during a March 1988 RCRA inspection. A sediment background sample was collected at location ST07 in Crab Orchard Creek, upstream of the creek's confluence with West Creek.

3.6 Soil Sampling

On March 23, 1994, a field team collected eight soil (SS) samples with clean, stainless steel spoons. Samples were placed in clean sample jars. Perma-Treat accepted splits of soil samples from locations SS01 through SS08. Figure 3-1 and Figure 3-2 show onsite and offsite sample locations, respectively. Table 3-1 provides a summary of sample descriptions and locations.

Samples were scheduled for TCL and TAL analysis under a routine analytical services request. Soil samples scheduled for organic analysis were shipped to Encotec in Ann Arbor, Michigan, on March 24, 1994. Soil samples scheduled for inorganic

analysis were shipped to Weyerhauser Analytical & Testing Services in Federal Way, Washington, on March 24, 1994.

All reusable sampling and PPE were decontaminated before transport offsite. Disposable sampling and PPE items were discarded in accordance with procedures outlined in the SSI project work plan and QAPjP.

Sample locations SS01 through SS07 are in suspected onsite source areas. Sample locations SS01 and SS02 are in an area allegedly exposed to a 1985 CCA release. Sample locations SS03 and SS04 are in an area near the drip pad. This area was exposed to a 1988 CCA release. Sample locations SS05, SS06, and SS07 are south and east of the drip pad. Samples from these three locations will document the soil condition between the drip pad and the site surface water runoff pathway.

A background soil sample was collected at location SS08, about a half mile south of the site in Pamela Park. This location appears to be representative of natural soil conditions in the area.

3.7 Air Sampling

No air samples were collected during the sampling trip. Past releases of CCA to onsite soil occurred in areas not generally exposed to vehicular traffic. The potential is minimal for migration of soil bound hazardous substances in dust emissions generated by vehicular traffic.

3.8 Analytical Results

This section summarizes analytical results from SSI samples. Appendix D presents all SSI analytical data. Semivolatile organic compounds, pesticides, and inorganic compounds were documented in sediment and soil samples.

Analytical data from the analysis of sediment samples document the release of five pesticides and eight inorganic substances. Analytical data from the analysis of soil samples document the release of one semivolatile organic compound and eleven inorganic compounds.

3.9 Key Samples

"Key samples" are those samples that contain substances in sufficient concentration to document an observed release. Table 3-2 identifies SSI key samples.

Table 3-2 Key Sample Summary

Sediment Substance Sample Location Number ST07 Analytical Compound/ ST01 ST02 ST03 ST04 ST05 ST06 Fraction Analyte / Background Pesticide Heptachlor Epoxide 5.0 P 3.1 U $(\mu g/kg)$ Dieldrin 6.0 U 16 P 13 P 6.2 P 10 P Endosulfan II 11 P 6.0 U Alpha-Chlordane 39 JPD 39 P 19 P 4.7 P Gamma-Chlordane 37 P 5.0 P 35 P 20 P 163 * 179 * 7.3 * Inorganic 23 * Arsenic (mg/kg) Cadmium 1.7 B 1.4 U Calcium 93,200 68,800 13,800 12,100 3,130 Chromium 114 130 11.7 29 95.9 114 Copper 174 * 39.3 * Lead Magnesium 8,180 1,650 6,150 Selenium 0.99 B 0.60 U

Table 3-2 (Continued) Key Sample Summary

Soil									
Substance		Sample Location Number							
Analytical Fraction	Compound /Analyte	SS01	SS02	SS03	SS04	SS05	SS06	SS07	SS08 Background
Semivolatile (µg/kg)	Bis(2- Ethylhexyl) Phthalate	-	-	2,000 B	-	-	-	-	420 UJB
Inorganic	Aluminum	17,200	16,800	-	<u>.</u>	-	-	-	5,450
(mg/kg)	Antimony	-	-	18.9 JN	-	-	•	•	5 UJN
	Arsenic	-	-	5,490		-	-	636 J*	11.5 JN
	Barium	403	-	-	•	-	-	-	74.9
	Calcium	-	-	102,000	167,000	-	-	-	24,700
	Chromium	_	-	2,640	159	1,700	157	266	14.2
	Copper	-	45.1 JN	2,510 JN	132 JN	1,430 JN	151 JN	427 JN	8.2 JN
	Lead	-		-	-	114	-	-	22.5
	Magnesium	-	-	-	11,500	-	-	-	3,170
	Potassium	1,570	1,610	1,490	1,570	1,100	834	1,240	356
	Thallium	0.27 B	0.30 B	-	-	0.25 B	0.19 B	0.18 B	0.16 U

	Table 3-2 (Continued) Key Sample Summary						
μg/kg	Microgram per kilogram.						
mg/kg	Milligram per kilogram.						
J	Reported value is estimated.						
U	Substance is undetected. The reported value is the contract required quantitation limit (CRQL).						
В	Reported value less than the contract required detection limit (CRDL), but greater than the instrument detection limit.						
P	Greater than twenty-five percent difference for detected concentrations.						
D	Analyzed at a secondary dilution factor.						
N	Spiked sample recovery not within control limits.						
*	Duplicate analysis not within control limits.						

4.0 Characterization of Sources

4.1 Introduction

Data from the analysis of SSI samples identifies one source of hazardous substances at Perma-Treat: contaminated soil.

4.2 Contaminated Soil

4.2.1 Description

Analysis of SSI soil samples from locations SS01 through SS08 document observed releases of several hazardous substances. Table 3-2 shows these hazardous substances. Observed releases are documented in three separate areas, at locations SS01 and SS02 in the western storage yard, SS03 and SS04 west of the drip pad, and SS05, SS06, and SS07 south and east of the drip pad. The lateral extent of substances identified in each area is not known. All seven onsite soil samples are in the southern half of the 15 acre site. The size of the contaminated soil source area is estimated to be 3 acres.

4.2.2 Waste Characteristics

Data from analysis of the SSI soil samples document an observed release of one semivolatile compound and eleven inorganic analytes. Table 3-2 shows these substances. Chromium, copper, potassium, and thallium are documented in at least five of the seven onsite soil sample locations. The remaining substances appear at one or two of the soil sample locations. The lone semivolatile compound, bis(2-ethylhexyl)phthalate, is present at a concentration of 2,000 micrograms per kilogram. Inorganic analyte concentrations range from 0.18 to 167,000 milligrams per kilogram.

4.2.3 Potentially Affected Migration Pathways

The soil pathway contains observed releases of TCL and TAL hazardous substances.

Observed releases of TCL and TAL substances are documented in the surface water pathway. Notably, onsite sediment sample locations ST01 and ST02 document observed releases of, among other inorganic analytes, arsenic, chromium, and copper. Observed releases of pesticides are documented only in offsite sediment locations.

Hazardous substances documented in onsite soil may leach downward into the groundwater.

A potential exists for entrainment of contaminated soil in the air pathway as airborne particulate matter.

4.3 Other Potential Sources Within One Mile

Potential sources within one mile of Perma-Treat include five CERCLA sites; however, all five sites are designated as site evaluation accomplished (USEPA 1993). These sites are Downstate Construction Co. Inc. (ILD 980 899 173) at 1810 Dorothy Lane, Illinois Coal Oil & Gas Co. (ILD 980 899 025) at 909 S. Russel, Jet Fuel Co. (ILD 980 899 041) at 903 N. Bently Street, Oxford Construction (ILD 980 899 058) at 200 W. Jefferson, all in the city of Marion, and Morris Coal Co. #5 (ILD 980 089 090) in sections 10 and 11, Township 9 South, Range 3 East, Williamson County, Illinois.

5.0 Discussion of Migration Pathways

5.1 Introduction

This section includes information useful in analyzing the potential impact of contaminants found at the Illiana Disposal site on the four migration pathways: groundwater, surface water, air, and soil.

5.2 Groundwater

The site area in northern Vermilion County is underlain by a thick sequence of glacial drift. Drift deposits in this area range from about 250 feet to more than 400 feet in thickness (Selkregg and Kempton 1958, Piskin and Bergstrom 1975). Wells within 4 miles of the site penetrate two water bearing intervals in the glacial drift. These water bearing intervals are informally identified here as the upper drift and lower drift aquifers. No wells are screened in bedrock within 4 miles of the site [Illinois State Water Survey (ISWS) 1994].

Well construction reports (well logs) for nine wells in the 4 mile target area are used to define local geologic conditions. Appendix F presents these well logs.

In general, area wells penetrate three significant zones in the glacial drift. The upper zone is predominantly soil, sand, and gravel. The thickness of this zone is highly variable, ranging from 1 foot to more than 75 feet. The average zone thickness is 26 feet. This zone is saturated in many places and is informally identified as the upper drift aquifer.

The second significant zone is a laterally continuous clay. Predominantly gray, the upper part of the clay is yellow in many places. In area wells, the thickness of the clay ranges from 20 feet to 194 feet, and averages 68 feet.

Below the clay, drift wells are screened in sand and gravel. Sand and gravel deposits below the clay are informally identified as the lower drift aquifer. No nearby wells are known to fully penetrate this aquifer, and its thickness is not known. It is assumed to continue downward to bedrock.

Groundwater is used as a drinking water source within 4 miles of the site. The nearest private well is about 800 feet northeast of the site; however, this well is owned by the adjacent Illinois Landfill, Inc. Two landfill cells operated by Illinois Landfill, Inc. are located between Illiana Disposal and this well.

The major source of drinking water appears to be the lower drift aquifer. The upper drift aquifer is used sparingly as a drinking water source within 4 miles of the site.

Table 5-1 shows the estimated population using private wells as a drinking water source within 4 miles of the site. This population is determined by multiplying the number of structures counted in rural areas by the average population per household in Vermilion County and Iroquois County. All city of Hoopeston residents are assumed to obtain drinking water from the municipal water system. Table 5-2 shows the public water supply sources within 4 miles of the site.

Table 5-1 Private Well Users					
Radial Distance From Illiana Disposal in Miles	Approximate Population Served By Private Wells				
0.00 - 0.25	5				
0.25 - 0.50	5				
0.50 - 1.00	12				
1.00 - 2.00	260				
2.00 - 3.00	195				
3.00 - 4.00	226				
Total Population:	703				

Source: United States Geological Survey 1964a, 1964b, U.S. Department of Commerce 1990.

Table 5-2 Public Water Supply Sources Within Four Miles of Illiana Disposal							
Distance/ Direction From Site	Source Name	Location of Source	Approximate Population Served	Source Type			
2.3 miles northwest	Hoopeston well #4	Section 11, T. 23 N., R. 12 W.	0 (standby well)	Lower drift aquifer			
2.3 miles northwest	Hoopeston well #5	Section 11, T. 23 N., R. 12 W.	2592	Lower drift aquifer			
2.3 miles northwest	Hoopeston well #6	Section 11, T. 23 N., R. 12 W.	3534	Lower drift aquifer			

Source: IEPA 1989

5.3 Surface Water

Site surface water runoff drains into the slough located on the eastern side of the site. The slough flows north into a ditch and then west along the north border of the site. The ditch follows the access road offsite to another ditch that flows one-half mile west to the North Fork Vermilion River.

Surface sediment samples were taken from the slough and the ditches to evaluate potential releases to the surface water pathway. The background sample was collected upstream of the North Fork Vermilion River just east of the bridge.

5.4 Soil

Five soil samples were collected at the Illiana Disposal site. Chemical analysis of these soil samples indicates pesticides (aldrin, endrin ketone, and alpha chlordane) and inorganics (calcium, magnesium, and mercury) at concentrations significantly above background levels. Site soil samples SS01 through SS05 were used to

determine the source area and volume. The area outlined by these samples represents the total site area (11 acres).

5.4 Air

No documented air releases are known and none was observed during the SSI; however, the presence of chemicals at or near the ground surface creates the potential for windblown particulates to carry chemicals to neighboring residences.

An estimated 6,829 people live within four miles of the site. No residences, schools, or daycare centers are within 200 feet of the site property. Sensitive environments within four miles of the site include wetlands and the North Fork Vermilion River.

6.0 References

- Andrews Environmental Engineering, Inc., 1993. In personal communication to ARCS V contractor, Contract 68-W8-0064, Work Assignment 29-5JZZ, November 2.
- IEPA 1989. Well Site Survey Report, Hoopeston, Facility Number 1830450, Division of Public Water Supplies, May.
- Illinois State Water Survey, 1994. Private and Public, Industrial, and Commercial Well databases, February.
- Piskin, K., and R.E. Bergstrom, 1975. Glacial Drift in Illinois: Thickness and Character, Illinois State Geological Survey, Circular 490.
- Selkregg, L.F., and J.P. Kempton, 1958. Groundwater Geology in East-Central Illinois, Illinois State Geological Survey, Circular 248.
- U.S. Environmental Protection Agency, 1988, "Pre-Remedial Strategy for Implementing SARA," Office of Solid Waste and Emergency Response, Washington, D.C., Directive Number 9345.2-101, February.
- U.S. Department of Commerce, 1990. Census of Population and Housing; Summary Population and Housing Characteristics Illinois, Bureau of the Census, 1990 CPH-1-15.
- United States Geological Survey, 1964a. Topographic map, Ambia, Illinois-Indiana, 7.5 minute quadrangle.
- United States Geological Survey, 1964b. Topographic map, Hoopeston, Illinois-Indiana, 7.5 minute quadrangle.

- IEPA, 1991b. RCRA Land Disposal Restriction Inspection Report, Perma-Treat of Illinois, USEPA ID. No. ILD 063 698 971, IEPA No. 1990555010, June 20.
- IEPA, 1991c. Division of Land Pollution Control, in letter to Perma-Treat of Illinois, Inc., September 19.
- IEPA, 1988. Field Operations Section, Division of Land Pollution Control, in memorandum to IEPA Land Division File, March 25.
- Illinois State Geological Survey (ISGS), 1979. Quaternary Deposits of Illinois, geologic map, 1:500,000.
- ISGS, 1975. Handbook of Illinois Stratigraphy, Bulletin 95.
- ISGS, 1967. Geologic Map of Illinois, 1:500,000.
- Illinois State Water Survey (ISWS), 1993. Private and PICS (Public, Industrial, and Commercial) Well Databases, portions of Williamson County, Illinois.
- Pryor, W.A., 1956. Groundwater Geology in Southern Illinois, Illinois State Geological Survey, Circular 212, p. 24.
- U.S. Department of Commerce, 1990. Census of Populations and Housing, Illinois.
- U.S. Environmental Protection Agency (USEPA), 1994. List of Resource Conservation and Recovery Act notifiers in Illinois, March 10.
- USEPA, 1993. Illinois CERCLA Information System List-8: Site/Event Listing, October 4.
- USEPA, 1991. Quality Assurance Project Plan (QAPjP) for Region V Superfund Site Assessment Program, Contract No. 68-W8-0064, Work Assignment No. 29-5JZZ, September 27.

- USEPA, 1988. Pre-Remedial Strategy for Implementing Superfund Amendments and Reauthorization Act, Office of Solid Waste and Emergency Response, Washington, D.C., Directive Number 9345.2-101, February 12.
- United States Geological Survey (USGS), 1966a. Topographic map, Marion, Illinois, 7.5 minute quadrangle, photorevised 1990.
- USGS, 1966b. Topographic map, Crab Orchard Lake, Illinois, 7.5 minute quadrangle, photorevised 1990.
- USGS, 1963a. Topographic map, Herrin, Illinois, 7.5 minute quadrangle.
- USGS, 1963b. Topographic map, Johnston City, Illinois, 7.5 minute quadrangle, photoinspected 1976.

Appendix A

Perma-Treat of Illinois, Inc.

4 Mile Radius and 15 Mile Downstream Maps

SDMS US EPA Region V

Imagery Insert Form

Some images in this document may be illegible or unavailable in SDMS. Please see reason(s) indicated below:

	Illegible due to bad source documents. Image(s) in SDMS is equivalent to hard copy.
	Specify Type of Document(s) / Comment
	Confidential Business Information (CBI). This document contains highly sensitive information. Due to confidentiality, materials with such information are not available in SDMS. You may contact the EPA Superfund Records Manager if you wish to view this document.
÷	Specify Type of Document(s) / Comment
X	Unscannable Material: Oversized X or Format. Due to certain scanning equipment capability limitations, the document page(s) is not available in SDMS. The original document is available for viewing at the Superfund Records center. Specify Type of Document(s) / Comment
	4- MILE RADIUS MAP & 15-MILE SURFACE WATER ROUTE MAP
	Other:

Appendix B
Perma-Treat of Illinois, Inc.

USEPA Form 2070-13

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

O1 STATE | 02 SITE NUMBER

ILD | 063 698 971

		E LOCATION AND	INSPECTION INFORMA	TION LIDE	003 098 971	
SITE HAME AND LOCAT	ЮМ		Los street politicus os cos			
Perma-Treat	t of Illinois	3	North Carbon St. & Industrial Park Dr.			
CONT			1 1	Williamson	107 COUNTY CE CONG COOE OUST	
. Marion			1 1	WILLIAMSON	199 22	
42 44 08". N		10 TYPE OF OWNERS ET A. PRIVATE F. OTHER	O B. FEDERAL	C. STATE DD. COUNT	Y G E. MUNICIPAL	
EL INSPECTION INFORMA I) DATE OF REPECTION	TION 02 SITE STATUS	03 YEARS OF OPERA	TOW			
03,23, 94	1	_1		пикиом:		
M MOENCY PEPFORLING HISPER	CTION (Check at that accry)	-k	Z TONG TEAM			
MA EPA C B. EPA COM	OLTTO LCTOP	(Name of time)	C. MUNICIPAL CD. MI		(harm of hint)	
	ONTRACTOR	INAME OF IETH	C G. OTHER	(SOACAY)		
John Chitwood	£	Geologi	st	BVWS	(312 683-783	
Jeff Albano		Environ	mental Scienti	S BVWS	12 TELEPHONE NO. (312 683-785	
Mary Lee		Geologi	st	BVWS	312 346-377	
· .	-				()	
					()	
	:		(1	()	
Rudy J. Bond		Owner	N. Carbo	on & Industri	al 618 997-56	
Rodger A. Wa	alker .	Site Co	nsultant 802 E. He	errin St.,	(618 942-28	
	:			errin, IL	()	
					()	
			·	:	()	
					()	
					•	
17 ACCESS GLIVED BY ICHE FOR ICHE	0820	19 WEATHER CO Partly	cloudy, 40°F,	forcasted r	cain	
IV. INFORMATION AVAIL	LABLE FROM				CO TELEPHONE NO.	
Tom Crause			IEPA/DPLC/RPMS			
Jeff Albano	OR SITE INSPECTION FORM	OS AGENCY USEPA	BVWS	08 ON 23 84		
EPA FORM 2070-13 (7-81)					HOMTH DAY YEAR	

\$EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 2 - WASTE INFORMATION

I. IDENTIFICATION

OI STATE OZ SITENUMBER 971

ILD 063 698 971

	ATES, QUANTITIES, AN					<u></u>	
	ATES . Check at that sports	02 WASTE GUANT	TY AT SITE	03 WASTE CHARACTE	FISTICS CLOCK DINGE	9071	
X SCUD	E. SLURRY		naecenaenii	. A TOXIC	X E SOLU		
_ 0 /01106/	FINES _ F LIQUID	TONS .		. B. CORROS _ C. RADIOAG			
C. SLUDGE	_ G. GAS	CUBIC YARCS	2,420	I O. PERSIST		ABLE _ L INCOMP	TIBLE
∴ O. OTHER	· Sa ocey)	NO. OF CHUMS				≟ M, NOT APE	CLEE
III, WASTE T	YPE						
CATEGORY	SUBSTANCE N	AME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS		
SLU	SLUDGE			1			
OLW	CILY WASTE						
SOL	SOLVENTS			1	•		
PSO	PESTICIOES		unknown		contamin	ated soil	
осс	OTHER ORGANIC C	HEMICALS	unknown			ated soil	
10C	INORGANIC CHEMIC	CALS	- TITALIOWIL			ated solf	
YC0	ACIOS		i i		1		
BAS	BASES			 	 		
MES	HEAVY METALS		unknown	i i	contamin	ated soil	
IV. HAZARD	OUS SUBSTANCES	Appendis for mast trease	AIN ERIO CAS HUMBERS				
01 CATEGORY	02 SUBSTANCE		03 CAS NUMBER	04 STORAGE/DIS	SPOSAL METHOD	05 CONCENTRATION	COMEASURE OF
PSD	Heptachlor	epoxide	1024-57-3	<u> </u>		5	PPB
PSD	Dieldrin		60-57 1		····		i
PSD	Endosulfan	TT	33213-65-	ol		16 11	PPB PPB
PSD	Alpha Chlor		5103-71-9			39	PPB
			_ 	- 			†
PSD OCC	Gamma Chlor		<u> </u>			37	PPB
000	bis(2-ethyl	nexy1)	1111-01-1	 		1, 2,000	PPB
							 -
MES	Aluminum		1344-28-1			17,200	<u> РРМ</u>
MES	Antimony		7440-36-0	-		18.9	PPM
MES	Arsenic	·	7440-38-2			5,490	PPM
MES	Barium		7440-39-3	_ 		403	PPM
MES	Calcium	<u> </u>				167,000	PPM
MES	Chromium		7440-47-3			2,640	PPM
MES	Copper		7440-50-3			2,510	PPM
MES	Lead		7439-92-1			174	PPM
MES	Magnesium		Ì			11,500	PPM
V. FEEDST	OCKS IS . A DOOR OF ON CAS NO	moera		·•	 		
CATEGOR	TY OFFEDST	OCK NAME	02 CAS NUMBER	CATEGORY	OIFEE	DSTOCK HAME	02 CAS NUMBE
FDS				FDS			
FDS				FDS	1	·	
FDS				FOS			1
FDS				FDS			
 	ES OF INFORMATION						

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 2 - WASTE INFORMATION

I. IDENTIFICATION
OI STATE OF STE NUMBER
ILD 063 698 971

	ATES, QUANTITIES, AN	02 WASTE GUANT		03 WASTE CHARACTE	RISTICS CARRENTE		
X A SOLID E. SLURRY SUBC YAROS CUBIC YAROS		######################################				E LTIBLE	
III. WASTE T		NO. CF DRUMS		1			
CATEGORY	SUBSTANCEN		To cross wount	02 UNIT OF MEASURE	02.606476		
SLU	SLUDGE		UI GROSS AMOUNT	OZ UNIT OF MEASURE	03 COMMENTS		
OLW	OILY WASTE		 	<u> </u>			
SOL	SOLVENTS		 				
			<u> </u>	1			
PSD	PESTICIDES		Unknown			<u>nated soil</u>	
occ	OTHER ORGANIC C		Unknown	<u> </u>	Contami	nated soil	
10C	INORGANIC CHEMIC	CALS	<u> </u>	1			
ACD	ACIDS		-	ļ			
BAS	BASES				<u> </u>		···
MES	HEAVY METALS		Unknown	<u> </u>	Contamir	nated soil	····
IV. HAZARD	OUS SUBSTANCES	paenas formast freque	niny casa CAS Numbers				
01 CATEGORY	02 SUBSTANCE	NAME	03 CAS NUMBER	04 STORAGE/DIS	POSAL METHOD	05 CONCENTRATION	CONCENTRATION
	Potassium		N/A		`	1.610	PPM
MES	Selenium		7782-49	- 2		0.99	РРМ
MES	Thallium		7740-78-	- h		0.30	PPM
						0.30	<u> </u>
						١.	
·							
							
	<u> </u>				·····		
		·					
	 		- 				
					· · · · · · · · · · · · · · · · · · ·		
	 		_				
	 						
	<u> </u>						
							
						ľ	
V. FEEDST	OCKS ISAA ADDANOR TO CAS MA	mbersi					
CATEGOR	Y 01 FEEDSTO	OCK NAME	02 CAS NUMBER	CATEGORY	O1 FEED	STOCK NAME	02 CAS NUMBER
FDS	i			FDS			
FDS				FDS	 		
FDS			-	FDS	 		
FDS			- 	FDS	 		
	ES OF INFORMATION IC	de speced mismores	La Julia Idea Samon anno				
	A 1994, anal			 -			

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

OI STATE OZ SITE HUMBER

ILD 063 698 971

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

L HAZARDOUS CONDITIONS AND INCIDENTS
of CZA GROUNDWATER CONTAMINATION 4.853 02 COSSERVED (DATE:
01 TRE: SURFACE WATER CONTAMINATION 02 GORSERVED (DATE:
01 Q C. CONTAMINATION OF AIR 10, 7.82 02 C OBSERVED IDATE:
Potential for a release of contaminated dust exists. About 19,782 persons live within 4 miles of the site.
01 D. FIRE EXPLOSIVE CONDITIONS 02 CONSERVED (DATE
Not applicable.
01-TXE. CIRECT CONTACT 19,782 02 C OBSERVED (DATE:) X POTENTIAL CALLEGED 04 NARRATIVE DESCRIPTION
Potential for direct contact with CCA contaminated soil. Site is unrestricted allowing access to source areas by the public.
01 & F. CONTAMINATION OF SOIL 3 acres 0% OBSERVED DATE. 1988, 1991 POTENTIAL & ALLEGED 04 NARRATIVE DESCRIPTION
Visual contamination of soil was documented on 3-25-88 and on a site inspection on 6-20-91.
01 ON ON ON ON THE CONTAMINATION 4,853 OF OBSERVED (DATE:
Within 4 miles of the site, an estimated population of 4,853 persons use groundwater for drinking water.
01 CM. WORKER EXPOSURE/INJURY 14 02 D OBSERVED (DATE:) \$\overline{\text{W}} POTENTIAL C ALLEGED O4 NARRATIVE DESCRIPTION
Perma-Treat employees are potentially exposed to contaminated soil and dust each working day.
O1XDI. POPULATION EXPOSURE/INJURY 19,782 O2 G OBSERVED (DATE:

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

OI STATE OZ STE NAMER

ILD | 063 698 971

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

II. HAZARDOUS CONDITIONS AND INCIDENTS (CONTINUED)			
01 C J. DAMAGE TO FLORA 04 NARRATIVE CESCRIPTION	02 G CBSERVED (DATE)	C POTENTIAL	C ALLEGED
No damage to flora observed.			
01 C K. DAMAGE TO FAUNA	03 (1) 09553/60 (0.175.	- some	5.44.555
04 NARRATIVE DESCRIPTION INCLOSE RATIONAL OF TRACERS	02 O OSSERVED (DATE:)	E POTENTIAL	C ALLEGED
No damage to fauna observed.			
no damage to radia observed.			
01 C L. CONTAMINATION OF FOOD CHAIN	02 C CESERVED (DATE:1	C POTENTIAL	C ALLEGED
O4 NARRATIVE CESCRIPTION			{
Contamination to food chain r	not documented.		
OI & M. UNSTABLE CONTAINMENT OF WASTES	02 C CBSERVED (DATE: 3-23-94-1	₹ POTENTIAL	XE ALLEGED
OJ POPULATION POTENTIALLY AFFECTED: 19, 782	 , .	••	•
Source areas do not have any	engineered containment	systems	
in the second control	ongridered contariment	Sybcems.	
01 C N. DAMAGE TO OFFSITE PROPERTY	02 C CBSERVED (DATE:)	2 POTENTIAL	C ALLEGED
04 NARRATIVE CESCRIPTION			
No damage to offsite property	coserved.		
· ·			
01 C O. CONTAMINATION OF SEWERS, STORM CRAINS, WW. Q4 NARRATIVE CESCRIPTION		• .	C ALLEGED
No contamination of sewers, s	torm drains, WWTPs is	observed or	documented
·			
<u> </u>			
01 C. P. ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE CESCRIPTION	02 C OBSERVED (DATE:	1 T POTENTIAL	I ALLEGED
No illegal/unauthorized dumpi	ng observed or documen	ted.	
•	,,		
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR A	ALLECSO UNIVERS		
US DESCRIPTION OF ART OTHER KNOWN, FOTERTIAL, OR	ATTERED LYCYARD		·
•			
	19,782		
III. TOTAL POPULATION POTENTIALLY AFFECTED:			
IV. COMMENTS			
·			
IEPA, 1991. CERCLA Prelimir	nary Assessment report.		
V. SOURCES OF INFORMATIONICE SONCE MISTER S. P. 310	le (ms, Samora anarysa, 1800/11)		
		•	
}	•		
	•		

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION

US WASTE SITE L. IDENTIFICATION TION TO THE STATE OF THE

VLIA	PART 4 - PERMIT	AND DES	CRIPTIVE INFO	ORMATION	TLD 003 03	70 9/1
II. PERMIT INFORMATION	1.00.000	las autrus	suco la suco			
01 TYPE OF PERMIT ISSUED ICheck at that acoys	OZ PERMIT NUMBER	03 0476 IS	SUED 04 EXPIRAT	ON DATE GS COMMENTS	S	
C A. NPOES						
☐ B. UIC		1				
C.C. AIR		<u> </u>				
C D. RCRA		<u> </u>				
C. E. RORA INTERIM STATUS		<u> </u>				
E. F. SPCC PLAN		<u> </u>				
C. G. STATE SOMERY	<u> </u>					
GH. LOCAL						
EI. OTHER HAZVIST	form 8700-	12 4-	12-84	Notific	ation of haz	ardous
C J. NONE				waste	activity	
III. SITE DESCRIPTION						
01 STORAGE CISPOSAL ICARE HI DHI BOOTI	O TINU ED THUDMA SO	FMEASURE	04 TREATMENT	Check at Intl above	05 OTHER	
C A. SURFACE IMPOUNDMENT _			C A. INCENERA	NOIT		ļ
X B. PILES				OUND INJECTION	₹ A. BUILDINGS (ON SITE
. ☐ C. DRUMS, ABOVE GROUND			G C. CHEMICA		(six)	1
O. TANK, ABOVE GROUND			C D. BIOLOGIC			}
G E. TANK, BELOW GROUND			C E. WASTE OF	L PROCESSING	OB AREA OF SITE	
G F. LANDFILL			C F. SOLVENT	RECOVERY	1.5	İ
G G. LANDFARM			D.C. OTHER DE		15	2650
☐ H. OPEN DUMP	·		- H. OTHER _	wood preser	vacion	
CI I. OTHER			A	1500641	_	
07 COMMENTS			<u> </u>			
						Į.
				ž.	1	1
				·		
					•	
	•					
				_		
IV. CONTAINMENT						
01 CONTAINMENT OF WASTES (Check one)						
A. ADEQUATE, SECURE	∴ C B. MODERATE	X⊊ c.	INADEQUATE, PO	OR G D. INS	ECURE, UNSOUND, DAYG	ERGUS
02 DESCRIPTION OF BRUMS, DIKING, LINERS	. BARRIERS, ETC.		_			
There is no engine	ered containm	ent o	f source	areas. Al	ll potential	exposu
is to the soil and	sediment.					
				:		
V. ACCESSIBILITY						
01 WASTE EASILY ACCESSIBLE: CXY 02 COMMENTS	ES ENO					
Perma-Treat has no	o fencing res	trict	ing acce	ss to sourc	ce areas.	
VI. SOURCES OF INFORMATION ICA	s specine references, e.g. state fees, se	770m praysa, 1	*P0/13)			
IEPA 1991 CERCLA	Preliminary A	ssess	ment Rep	ort		
1	Ž		•	•		

POTENTIAL HAZARDOUS WASTE SITE

I. IDENTIFICATION

···	DARTE WATER REIL	000 1000 0 100 000		ILD 063	698 971
	PART 5 - WATER, DEM	UGRAPHIC, AND ENV	HUNMENTAL DATA		
. ENVIRONMENTAL INFORM. PERMEABILITY OF UNSATURATED.					
)-6 cm/sec = 23, 10-4 - 10-6 c	.mv.s.ec	omisec CD GREAT	EB THAN 10"3 cm/sec	
				en man ro chosec	
PERMEABILITY OF BEDROCK ICHAI					
☐ A. IMPER	RMEABLE I B.RELATIVELY IN	MPERMEABLE & C. RELA	TIVELY PERMEABLE C	D. VERY PERMEABLE	
3 DEPTH TO BECACCX	04 CEPTH OF CONTAMINATED SOIL	. ZCNE 05 S	OIL pH		
45(n)	05	(h)			
8 NET PRECIPITATION	07 CHE YEAR 24 HOUR RAINFALL	CA SLOPE SITE SLOP	- CIBECTION OF SIT	TE SLOPE . TERRUNAY	ERIOS SI OSE
(in)	3	$\frac{0-2}{0-2}$	_s south	- TEARWAY	
9 FLOOD POTENTIAL	10				
SITE IS IN 10-10 GEAR FE	LOODPLAIN C SITE	IS ON BARRIER ISLAND, CO	ASTAL HIGH HAZARD AR	REA. RIVERINE FLOCOW	AY
1 DISTANCE TO WETLANDS IS SOM	nerway:	12 DISTANCE T	O CRITICAL HABITATION	<u>.</u>	
ESTUARINE	OTHER			1.5 (mx)	
A(mi)	8(mi	1 ENDA	GERED SPECIES:		
13 LAND USE IN VICINITY					
DISTANCE TO: COMMERCIAL/INDUS	· · · · · · · · · · · · · · · · · · ·	REAS: NATIONAUSTATE PA . OR WILDUFE RESERVES	RKS. PRIME AC	AGRICULTURAL LANOS GLANO AG	LW0
0.1	mi) B	(mi)	C	(mi) D	(mi)
14 OF SCRIPTION OF SITE IN RELATK	ON TO SURRCUNCING TOPOGRAPHY			1. 1	
	-Treat site is l	ocated in a			lential a
					cuctal d
		•			
		٠			
	·	•			
	·				
	÷				
	·				
	÷				
	·				
VII. SOURCES OF INFORMA	TION (CLO LOWERC MINIORCO), O.Q., SINO IN	48. DATION PROFILE, FOODIS!			
J.A. Linebeck,	TION (Co. Decention of line), quanternary de	posits of Il	linois, ISG	S, 1975.	
J.A. Linebeck, W.A Pryor, 19	TION (CLESSES OF STREET), quanternary de: 956. Groundwater	posits of Il geology of	southern Il	S, 1975. linois, ISG	S,Circula
J.A. Linebeck, W.A. Pryor, 19 U.S. Dept. of	TION (Co. Decention of line), quanternary de	posits of Il geology of ical paper #	southern Il 40 - 1961	S, 1975 linois, ISG	S,Circula

POTENTIAL HAZARDOUS WASTE SITE

I. IDENTIFICATION

ŞEPA					TE 02 SITE HUMBER 0 063 698	971		
II. DRINKING WATER SUPPLY				 -				
O1 TYPE OF DRINKING SUPPLY		02 STATUS			 	03	OISTANCE TO SITE	
SURFACE	WEIL	ENDANGERE	D AFFECTES	,	MONTORED		2 5	
COMMUNITY A. G	B. C	۸. C	8. 🖸		c. ⊆ ^X	٨.	3.5 (m)	
HON-COMMUNITY C.	o. &	0. &	E, C)		F. C	В.	(tri)
III. GROUNDWATER								
O1 GROUNDWATER USE IN VICENTY (CHEA	E B. CRINKING	DUSTRIAL, IRRIGATION	(Limited	ERCIAL Mare sour	, INDUSTRIAL, IRRIGA TEADORIES	.тюн :	C 0. NOT USED, UNUS	SEARCE
02 POPULATION SERVED BY GROUND WA	TER 4,853	-	03 DISTANCE TO	HEARE	ST CANKNO WATER	I WELL	1 (6	4)
04 DEPTH TO GROUNCWATER	OS CHECTICH OF GAC	OUNDWATER FLOW	ON DEPTH TO AC		07 POTENTIAL YIE	ΕſΟ	DE SOLE SCURCE	CUIFER
15(n)			OF CONCERN	(h)	CF AQUIFER	(c∞a)	C YES	⊊ XO
Marion is locate not in the downs	stream targ	et pathwa	OI the s		; nowver	, La	ke Mario	n is
E YES COMMENTS								
D NO			G NO	DMMEN	412			
IV. SURFACE WATER			1					
01 SURFACE WATER USE (Chee on) A. RESERVOIR, RECREATION DRINKING WATER SOURCE 02 AFFECTED/POTENTIALLY AFFECTED 6	IMPORTAI	DN. ECONOMICALL NT RESOURCES	Y 🗆 C. COA	MERC	CIAL, INDUSTRIAL		D. NOT CURRENT	LY USED
NAME:	DOIES OF WATER				AFFECTE	=0	CISTANCE TO S	erre i
					2172312	-5		
West Creek					3		0.5	(mi)
Crab Orchard Cre	ek o/Wildlife	Pofuso	·		=			(mi)
		Kernge						(mi)
V. DEMOGRAPHIC AND PROPER	TY INFORMATION							
01 TOTAL POPULATION WITHIN					02 DISTANCE TO HE	AREST PO	PULATION	
ONE (1) MILE OF SITE A. 6 9/12 NO. OF PERSONS	B. 15,799	THREE C	13 MILES OF SIT 18,040 MO OF PERSONS	Ε		0.1	(mi)	
ON NUMBER OF BUILDINGS WITHIN TWO		•	04 DISTANCE T	ONEAR	LEST OFF-SITE BUILD			
3,5	<u> </u>				0	L	_(mi)	
05 POPULATION WITHIN VICINITY OF SITE	E (Provide numeros describion	of nature of population with	n Kng ol Me, e.c I	urar, mean	e, Pentlery Document with	M 2/14)		
Site is in a mix Many areas withi areas beyond 2 m sparsely populat	ed use resing 1 to 2 miles of the	idential iles of t	he site	are	e densely	y poi	oulated.	Most
1					•			

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - SAMPLE AND FIELD INFORMATION

OI STATE 02 STE NUMBER ILD 063 698 971

GROUNDWATER SEGIMENT XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	7	IT Analytical Services Export, PA 1563 8806; Southwest Labs of Oklahoma, Broken Arrow, OK 74012	2 6/94			
WASTE	7	8806; Southwest Labs of Oklahoma,	Harris and the first the property of the same of			
		Broken Arrow, OK 74012				
AIR						
RUNOFF						
SPILL						
SOIL	8	Encotec 3985 Research Park, Ann Arbo MI 48108, Weyerhauser Analytical	6/94			
VEGETATION		Federal Way, WA 98003				
OTHER						
III. FIELD MEASUREMENTS T.	AKEN					
1 TYPE	02 COMMENTS		I STATE OF THE STA			
Location						
Measurements	Sample 1	locations were measured in feet and inches from				
	fixed st	ructures.				
IV. PHOTOGRAPHS AND MA	PS					
OI TYPE TO GROUND C AERIA	AL	02 N CUSTOOY OF BVWS/USEPA files				
	ONOFWAPS					
TYES USE	PA Region	V files				
V. OTHER FIELD DATA COLL	ECTED IPPORTATION	De asnational				

VI. SOURCES OF INFORMATION ICA- DOCK PIENCES, E.Q., SINTO IME, SMOR MAYER, 100011

USEPA, 1994. Analytical case no. 21759

17	FFA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTI	FICATION	н	
OISTATE	OZ SITE MU	MBER	
ILD	063	698	97

. CURRENT OWNER(S)			DARENT COURANY				
I CURRENT OWNER(S)		22.0 - 9 MIN 1950	PARENT COMPANY IN MONEY				
Rudy J. Bond		2 D+8 NUMBER	CS HAME	C	9 0+8 HUMBER		
3 STREET ADDRESS IP 0. Box, AFG F. MC.I P.O. Box 99		04 SIC CODE	10 STREET ADDRESS (P. O. BOX. AFO F HICE		11 SC CCCE		
san Marion	IL	07 ZP CCO€ 62959	13 CTY	13 STATE	14 ZP CCC€		
1 NAME		02 D+8 NUMBER	G8 NAME		R3840H 8+0 PC		
3 STREET ADDRESS IP 0. Box, RFD F. erc.1	<u> </u>	04 SXC COC€	10 STREET ADDRESS (F O Box, NO F. etc.)	<u>-</u>	11 SXC CCOE		
DS CITY	CS STATE	O7 ZIP CODE	12 CTY	13 STATE	14 ZP COCE		
) NAME		02 0+8 NUMBER	C8 NAME	<u> </u>	09 D+B NUMBER		
STREET ADORESS IP O Bos. RED P. NIC.I		04 SKC COCE	10 STREET ADORESS (F 0 bot, AFO), are	1	115/C COGE		
DS CITY	CO STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZP COCE		
DI NAME	·	C2 D+8 NUMBER	OB NAME				
OJ STREET ADCRESS IF O. Box. AFD F. etc.)		04 SXC CODE	10 STREET ACCRESS IP. 0 day A/0/ HE	ı	11 SC CCC€		
05 CTY	CE STATE	07 ZIP CODE	12 CITY	13 STATE	1 14 ZIP CCCE		
III. PREVIOUS OWNER(S) (Let most recent mail	· !	<u> </u>	IV. REALTY OWNER(S) 10 MORE ADM		<u>.</u>		
OINAME City of Marion		02 D+8 NUMBER	O1 NAME		02 0+8 NUMBER		
03 STREET ADCRESS (P O Bos, AFD 4, etc.)		04 SIC CODE	OJ STREET ADORESS (P. O. Sol. P.O. P.	c.1	04 SC CCC€		
oscir Marion	COSTATE IL	62959	CS CITY	CS STATE	07 ZP CCC€		
OI NAME .		02 0+8 NUMBER	C1 NAME	·	02 0+8 NUMBER		
03 STREET ADCRESS IP 0 801, A/D 1, vic.)		04 SX CODE	C3 STREET ACCRESS IP.O . DI. AFD F. III	c 1	04 SXC CCOE		
05 CITY	CC STATE	07 ZIP COD€	05 CITY	C-6 STAT	E 07 Z.P COOE		
O1 NUME	_ 	02 0 + B NUMBER	O1 NAME		02 0+ B POWBER		
03 STREET ADORESS (7.0, 801, 870 7, 810.)		04 SXC COD€	03 STREET ADORESS (P. O. Box, AZO F. HI	c.)	04 SC CCO€		
OSCITY	COSTATE	07 ZIP COD€	OS CITY	CS STAT	E 07 ZIP COOE		
V. SOURCES OF INFORMATION (Cr. son		l, e.g., State Nest, samore ana	7 24. (1001)				
IEPA, 1991. CERCLA	Dro	liminary /	Assessment		•		

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 9 - GENERATOR/TRANSPORTER INFORMATION

1	I. IDENT	IFICATIO	N	
	OLSTATE ILD	02 SITE NU	698	97

1 NAME		02 D+8 NUMBER			
		· · · · · · · · · · · · · · · · · · ·			
3 STREET ACCRESS IP O. Bos. AFO P. erc.s		04 SX CCC€			
os aty	CO STATE	07 ZIP CCDE	-		
II. OFF-SITE GENERATOR(S)					
Hickson Corporation		02 D+8 NUMBER	O1 NAME		02 0+8 HUMBER
STREET ADDRESS (P.O. Box. AFD F. orc.)		04 SIC CCO€	03 STREET ADCRESS (P.O Sol. AFD F HE.)		C4 SXC CCC€
1579 Koppers Road					
05 CITY	Ce STATE	07 ZIP COOE	05 CITY	CO STATE	O7 ZIP CCCE
Conley ·	GA	30027			
01 NAME		02 0+8 NUMBER	01 NAME		02 D+8 HUMBER
03 STREET ACCRESS (P. O. Box, AFO P. atc.)		04 SIC CCCE	03 STREET ADDRESS IP 0. 801. AFD /, sic.)		04 50 0005
05 CITY	CO STATE	07 ZIP COOE	los ciry	GO STATE	107 ZIP CSG€
IV. TRANSPORTER(S)		1		<u>'</u>	
OI NAME		02 D+ B NUMBER	OI NAME	·	02 D+8 NUMBER
OD STREET ACCRESS (P.O. Bos. AFD P. etc.)		04 SIC CCC€	03 STREET ADCRESS IP 0. Beil PFC 4, NG.1		04 500 000 6
05 CITY	CS STAT	E 07 ZIP CODE	05 CMY	CO STAT	E 07 ZIP CCC€
	<u> </u>				
O1 NAME		02 D+B NUMBER	OI NAME		02 0+B NUMBER
OJ STREET ADCRESS (P.O. 801, RFD P. 41C.)		04 SXC CODE	OB STREET ADCRESS IP O BOIL RED F INC.		04 SC CCC5
Of CITY	ICA STAT	E 07 ZIP COCE	los city	(CA STAT	ELOT ZP COCE
05 CITY			03 611 1		J. 2. 3332
V. SOURCES OF INFORMATION (CA. 1000)		1, 4,G., \$1210 IB44, sample analy	aut. (P000/13)		
V. SOURCES OF INFORMATION (C.s. sore	AC 1914 WC 11		essment report.	 	

EPA FOFON 2070-13 (7-81)

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENT		_	
OI STATE	02 SITE N	UMBER	
ILD	063	698	971

~~ ~ · · ·		P	PART 8 - OPERA	TOR INFORMATION		10	03 070 77
IL CURRENT OPERATOR (Provide & different from 0 area)				OPERATOR'S PARENT COMPANY III ADDICATORS			
NAME			2 0+8 NUMBER	10 NAME	10 NAME (11 0+8 NL		
STREET ADORESS (P. O. Bos. /	FO F, etc.)		G4 SIC COOE	12 STREET ACORESS (A	12 STREET ACORESS IP O. Bos. AFO P. etc.)		
CITY		OS STATE O	7 ZIP CODE	14 CITY		15 STATE 1	6 ZIP COCE
YEARS OF OPERATION OF	HAME OF OWNER					<u> </u>	
II. PREVIOUS OPERATO	R(S) (Let most recent has	ון אינים שיטיים ב	d arthront from owner)	PREVIOUS OPERA	TORS' PARENT COMP	ANIES (# N	>o=cao=)
1 NAME		٥	2 D+ 8 NUMBER	10 NAME		[1	R38MUN 8+0 /
STREET ADORESS (P.O. Box.	RFO #, erc.)		04 SKC CODE	12 STREET ADDRESS	P.O. Box, AFD F etc.)	L	13 SIC CCO€
5 CITY		CO STATE O	O7 ZIP COOE	14 CITY		15 STATE	16 ZIP CODE
B YEARS OF OPERATION O	NAME OF OWNER C	OURING THIS	PERIOD			<u> </u>	
) NAME	, ,, ,	lo	02 D+8 NUMBER ;	10 NAME	·		I I O+B NUMBER
3 STREET ADORESS (7.0. Box.	RFO F. erc.)	!	04 SXC CCDE	12 STREET ADORESS	P.O. Baz, AFO F. etc.)		13 SC CCCE
5 CITY		CO STATE	07 ZIP CODE	14 CITY		15 STATE	16 ZIP COO€
DE YEARS OF OPERATION	9 NAME OF OWNER	DUR#G THIS	S PERIOD		1	!	
DI NAME	·····		02 D+B NUMBER	10 NAME			11 0+8 NUMBER
DI STREET ADDRESS IP O. Box.	RFD F. etc.)		04 SKC CODE	12 STREET ACCRESS	(P O Bos. AFD # etc)		13 SK CCCE
DS CITY		CO STATE	07 ZIP CODE	14 CITY		15 STATE	16 ZIP COCE
OR YEARS OF OPERATION	OR NAME OF OWNER	DURING THIS	SPERIOD			<u> </u>	L
IV. SOURCES OF INFOR	MATION (Cr. specie	c references, e	.g., 21210 1242, 22000 204	rysal, records)			
. ·					•••		
		•					

\$EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES

I. IDENTIFICATION							
OI STATE	CZ STE M	MER					
ILD	063	698	97]				

AST RESPONSE ACTIVITIES		
01 CI A, WATER SUPPLY CLOSED 04 DESCRIPTION	02 CATE	O3 AGENCY
	·	
01 🗆 8. TEMPORARY WATER SUPPLY PROVICED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C. PERMANENT WATER SUPPLY PROVICED 04 DESCRIPTION	02 DATE	03 YGEACA
01 C D. SPILLED MATERIAL REMOVED 04 DESCRIPTION		85 03 AGENCY
Release of chromated copper an	rsenate to	area north of control room.
01 & E. CCNTAMMATED SOIL REMOVED 04 DESCRIPTION	02 CATE	985 03 AGENCY
Contaminated soil was neutrali	ized with l	ime and removed
01 D F. WASTE REPACKAGED 04 DESCRIPTION	02 0 % 1 6	03 /05/701
01 D G. WASTE EXPOSED ELSEWHERE 04 DESCRIPTION		C3 AGENCY
01 C H. CN STE BURIAL 04 DESCRIPTION	G2 DATE	OS AGENCY
01 D I, IN STU CHEMICAL TREATMENT 04 DESCRIPTION		03 AGENCY
01 C: J. IN SITU EKOLOGICAL TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 G K. IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	OZ GATE	OJ AGENCY
01 G L. ENCAPSULATION 04 DESCRIPTION	02 DATE	O3 AGENCY
01 © M. EMERGENCY WASTE TREATMENT 04 DESCRIPTION	02 DATE	O3 AGENCY
01 D N. CUTOFF WALLS 04 DESCRIPTION	02 DATE	03 AGENCY
OLD O ENECCENCY ONING/CHREADE WITTER DIVERSION	02 0275	03 AGENCY
01 D O. EMERGENCY DIKING/SURFACE WATER DIVERSION 04 DESCRIPTION	UZ DATE	UJ AGENOT
01 D P. CUTOFF TRENCHES/SUMP 04 DESCRIPTION	O2 DATE	03 AGENCY
01 [] O. SUSSURFACE CUTOFF WALL	02 DATE	03 AGENCY
	02 OATE	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

	L IDENTIFICATION						
OI STATE	OZ STÉ NUMBÉR						
TID	608 071						

CTA	PART 10 - PAST RESPONSE ACTIVITIES	ILD 698 971
ST RESPONSE ACTIVITIES (Communi		
01 C R. SARRIER WALLS CONSTRUCTED 04 DESCRIPTION	G2 DATE	93 AGENCY
01 C S. CAPPING/COVERING 04 DESCRIPTION	OZ CATE	03 AGENCY
01 G.T. BULK TANKAGE REPAIRED 04 DESCRIPTION	02 CATE	C3 AGENCY
01 C U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C V. BOTTOM SEALED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C W. GAS CONTROL 04 DESCRIPTION	C2 DATE	03 AGENCY
01 C X. FIRE CONTROL 04 DESCRIPTION		03 AGENCY
01 CLY, LEACHATE TREATMENT 04 DESCRIPTION	O2 DATE	G3 AGENCY
01 C Z. AREA EVACUATED 04 DESCRIPTION	OZ DATE	03 AGENCY
01 C 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 = 2. FORULATION RELOCATED 04 DESCRIPTION	02 DATE	03 AGENCY
01 C 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE	03 AGENCY
		*.
n.,		
	references, e.g., 37ste fras, Samon anarysis, reports)	



POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

I. IDENTIFICATION OI STATE OF SITE MULGER ILD 063 698 971

IL ENFORCEMENT INFORMATION

OF PAST REQULATORY/ENFORCEMENT ACTION THESE TO NO

02 DESCRIPTION OF FEDERAL STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

In a June 20, 1991, RCRA inspection, IEPA personnel found restricted waste stored in an onsite waste pile for more than 90 days.

On September 19, 1991, the IEPA notified Perma-Treat that the waste pile was in violation of RCRA requirements for generators and storage sites of hazardous waste.

Subject to numerous conditions and modifications, the IEPA approved Perma-Treat's RCRA closure plan for the waste pile on December 11, 1992. The approved clousre plan required soil sampling near the southern and eastern sides of the drip pad.

Perma-Treat appealed the IEPA enforcement action seeking closure of the waste pile. Perma-Treat won the appeal, halting IEPA's RCRA enforcement action.

III. SOURCES OF INFORMATION ICLE WHEN MININGER, & B., 2144 Mes. SHOW MAYER MOOTH

IEPA RCRA Land Disposal Restriction report, Perma-Treat of Illinois, USEPA ILD 063 698 971, IEPA 1990555010, June 20, 1991.

IEPA Division of Land Pollution Control, in letter to Carolyn Bond, Permal-Trea of Illinois, Inc. September 19, 1991.

FEFA'DIVISion of Land Pollution Control, in letter to Carolyn Bond, Perma-Treat

of Illinois, Inc., December 11, 1992. IEPA Division of Land Pollution Control in correspondence to ARCS V Contractor October 26, 1993 and January 14, 1994.

Appendix C

Perma-Treat of Illinois, Inc.

Target Compound List and Target Analyte List

Target Compound List

Volatiles

Chloromethane
Bromomethane
Vinyl Chloride
Chloroethane
Methylene Chloride

Methylene Chloride

Acetone

Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane

1,2-Dichloroethene (total)

Chloroform

1,2-Dichloroethane

2-Butanone

1,1,1-Trichloroethane Carbon Tetrachloride Bromodichloromethane 1,2-Dichloropropane Cis-1,3-Dichloropropene

Trichloroethene

Dibromochloromethane 1,1,2-Trichloroethane

Benzene

trans-1,3-Dichloropropane

Bromoform

4-Methyl-2-pentanone

2-Hexanone

Tetrachloroethene

Toluene

1,1,2,2-Tetrachloroethane

Chlorobenzene Ethyl benzene

Styrene

Xylenes (total)

Source:

Target Compound List for water and soil with low or medium levels of volatile and semi-volatile organic contaminants, as shown in the Quality Assurance Project Plan for Region V Superfund Site

Assessment Program, September 27, 1991.

Target Compound List (Continued)

Semi-Volatiles

Phenol

bis(2-Chloroethyl) ether

2-Chlorophenol

1,3-Dichlorobenzene

1.4-Dichlorobenzene

1,2-Dichlorobenzene

2-Methylphenol

2,2-oxybis-(1-Chloropropane)*

4-Methylphenol

N-Nitroso-di-n-dipropylamine

Hexachloroethane

Nitrobenzene

Isophorone 2-Nitrophenol

2,4-Dimethylphenol

bis(2-Chloroethoxy) methane

2,4-Dichlorophenol

1,2,4-Trichlorobenzene

Naphthalene

4-Chloroaniline

Hexachlorobutadiene

4-Chloro-3-methylhenol

2-Methylnaphthalene

Hexachlorocyclopentadiene

2,4,6-Trichlorophenol

2,4,5-Trichlorophenol

2-Chloronephthalene

2-Nitroaniline

Dimethylphthalate

Acenaphthylene

2.6-Dinitrotoluene

3-Nitroaniline

Acenaphthene

2,4-Dinitrophenol

4-Nitrophenol

Dibenzofuran

2,4-Dinitrotoluene

Diethylphthalate

4-Chlorphenyl-phenyl ether

Fluroene

4-Nitroaniline

4,6-Dinitro-2-methylphenol

N-Nitrosodiphenylamine

4-Bromophenyl-phenyl ether

Hexachlorobenzene

Pentachlorophenol

Phenanthrenel

Anthracene

Carbazole

Di-n-butylphthalate

Fluoranthene

Pyrene

Butyl benzyl phthalate

3,3-Dichlorbenzidine

Benzo(a)anthracene

Chrysene

bis(2-Ethylhexyl)phthalate

Di-n-Octyphthalate

Benzo(b)fluoranthene

Benzo(k)fluoranthene

Benzp(a)pyrene

Indeno(1,2,3-cd)pyrene

Dibenzo(a,h)anthracene

Benzo(g,h,i)perylene

*Previously known by the name of bis(2-chlorousipropyl) ether.

Source:

Target Compound List for water and soil with low or medium levels of volatile and semi-volatile organic contaminants, as shown in the

Quality Assurance Project Plan for Region V Superfund Site

Assessment Program, September 27, 1991.

Target Compound List (Continued)

Pesticide/PCB

4,4-DDT alpha-BHC beta-BHC Methoxychlor Endrin ketone delta-BHC gamma-BHC (Lindane) Endrin aldehyde alpha-chlordane Heptachlor gamma-chlordane Aldrin Heptachlor epoxide Toxaphene Endosulfan I Aroclor-1016 Dieldrin Aroclor-1221 4,4-DDE Aroclor-1232 Endrin Aroclor-1242 Endosulfan II Aroclor-1248 4,4-DDD Aroclor-1254 Endosulfan sulfate Aroclor-1260

Source:

Target Compound List for water and soil containing less than high concentrations of pesticides/aroclors, as shown in the Quality Assurance Project Plan for Region V Superfund Site Assessment

Program, September 27, 1991.

Target Analyte List

Aluminum Magnesium Manganese Antimony Arsenic Mercury Barium Nickel Beryllium Potassium Cadmium Selenium Calcium Silver Chromium Sodium Cobalt Thallium Vanadium Copper Iron Zinc Lead Cyanide

Source:

Target Analyte List in the Quality Assurance Project Plan for

Region V Superfund Site Assessment Program, September 27, 1991.

Appendix D

Perma-Treat of Illinois, Inc.

Analytical Results

Appendix D Contents

Data Qual	lifiers D-	.2
Analytical	Results	.3
Sedin	ment Samples	
	Volatile Organic Analysis for Sediment Samples D-Volatile Organic Analysis for Sediment Samples	.3
	Tentatively Identified Compounds D-	4
	Semi-volatile Organic Analysis for Sediment Samples D-	.5
	Semi-volatile Organic Analysis for Sediment Samples,	
	Tentatively Identified Compounds D-	.7
	Pesticide and PCB Analysis for Sediment Samples D-1	
	Inorganic Analysis for Sediment Samples D-1	
Soil	Samples	
	Volatile Organic Analysis for Soil Samples D-1	3
	Semi-volatile Organic Analysis for Soil Samples D-1	
	Semi-volatile Organic Analysis for Soil Samples,	
	Tentatively Identified Compounds D-1	6
	Pesticide and PCB Analysis for Soil Samples D-1	
	Inorganic Analysis for Soil Samples D-1	

		Data Qualifiers
Analysis	Qualifier	Description
Organic	U	Compound was analyzed but not detected. The associated numerical value is the sample quantitation limit.
	J	An estimated value. This flag is used either when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed, or when the mass spectral data indicate the presence of a compound that meets the identification criteria with the result less than the sample quantitation limit but greater than zero.
	В	Reported value is less than the CRQL, but greater than the instrument detection limit.
	N	Indicates presumptive evidence of a compound. This flag is used only for TICs.
	D	Analyzed at a secondary dilution factor.
Inorganic	U	Compound was analyzed for but not detected. The associated numerical value is the sample quantitation limit.
	J	An estimated value.
	В	The reported value is less than the CRDL, but greater than or equal to the IDL.
	N	Spiked sample recovery not within control limits.
	W	Post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50 percent of spike absorbance.
	ajc .	Duplicate analysis not within control limits.
	Correlation coefficient for the method of standard additions (MSA) is less than 0.995.	
	S	The reported value was determined by the MSA.

Volatile Organic Analysis for Sediment Samples							
			Perma				
			•		nd Number		
Volatile				ncentration i			
Compound	ST01	ST02	ST03	ST04	ST05	ST06	ST07
							Background
Chloromethane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Bromomethane	13 U	15 U	14 U	<u>14 U</u>	16 U	18_U	18 U
Vinyl Chloride	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Chloroethane	13 U	15 U	14 U	14 U	16 UJ	18 UJ	18 U
Methylene Chloride	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Acetone	13_UJ	7 J	14 UJ	14 UJ	11 J	10 J	18 UJ
Carbon Disulfide	13 U	15 U	14 U	14 U	16_U	18 U	18 U
1,1-Dichloroethene	13 U	15_U	14 U	14 U	2 J	18 U	18 U
1,1-Dichloroethane	13 U	15_U	14 U	14 U	16 U	18 U	18 U
1,2-Dichloroethene (total)	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Chloroform	13 U	15 U	14 U	14 UJB	16 UJB	18 UJB	18 UJB
1,2-Dichloroethane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
2-Butanone	13 U	15 U	14 U	14 U	16 UJ	18 UJ	18 U
1,1,1-Trichloroethane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Carbon Tetrachloride	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Bromodichloromethane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
1,2-Dichloropropane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
cis-1,3-Dichloropropene	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Trichloroethene	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Dibromochloromethane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
1,1,2-Trichloroethane	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Benzene	13 U	15 U	14 U	14 U	16 U	18 U	18 U
trans-1,3-Dichloropropene	13 U	15 U	14 U	14 U	16 U	18 U	18 U
Bromoform	13 U	15 U	14 U	14 U	16 U	18 U	18 U
4-Methyl-2-Pentanone	13 U	15 U	14 U	14 UJ	16 UJ	18 UJ	18 U
2-Hexanone	13 U	15 U	14 U	14 UJ	16 UJ	18 UJ	18 U
Tetrachloroethene	13 U	15 U	14 U	14 UJ	16 U	18 U	18 U
1,1,2,2-Tetrachloroethane	13 U	15 U	14 U	14 UJ	16 U	18 U	18 U
Toluene	13 U	15 U	14 U	14 UJ	16 U	18 U	18 U
Chlorobenzene	13 U	15 U	14 U	14 UJ	16 U	18 U	18 U
Ethylbenzene	13 U	15 U	14 U	14 U.J	16 U	18 U	18 U
Styrene	13 U	15 U	14 U	14 UJ	16 U	18 U	18 U
Xylene (total)	13 U	15 U	14 U	14 UJ	16 U	18 U	18 U
Total Number of TICS *	0	0	0	0	10 0	0	0

^{*} Number, not concentrations, of tentatively identified compounds (TICs).

sed-voi

Volatile Organic Analysis for Sediment Samples						
Tentatively Identified Compounds						
Perma Treat						
Concentrations in ug/kg						
Retention Estimated						
Compound Name Time Concentration						
Sample ST05						
Unknown Siloxane 8.097 8 J						

tic-vsed

Semivolatile Organic Analysis for Sediment Samples Perma Treat

<u></u>							
	Sample Location and Number						
Semivolatile		,		ncentrations ir		_=====	
Compound	ST01	ST02	ST03	ST04	ST05	ST06	ST07
<u> </u>		<u> </u>					Background
Phenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
bis(2-Chloroethyl)Ether	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2-Chlorophenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
1,3-Dichlorobenzene	420 U	_490 U	480 U	460 U	520 U	610 U	600 U
1,4-Dichlorobenzene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
1,2-Dichlorobenzene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2-Methylphenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2,2'-oxybis(1-Chloropropane)	420 UJ	490 UJ	480 UJ	460 UJ	520 U	610 U	600 U
4-Methylphenol	420 U	26 J	480 U	460 U	520 U	150 J	600 U
n-Nitroso-Di-n-Propylamine	420 U	490 U	480 U	460 U	520 U	610 U	600 U
Hexachloroethane	420 U	490 U	480 U	460 U	520 U	610 U	600 U
Nitrobenzene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
Isophorone	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2-Nitrophenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2,4-Dimethylphenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2,4-Dichlorophenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
1,2,4-Trichlorobenzene	420 U	490 U	480 U	460 U	520 U	U 010	600 U
Naphthalene	28 J	50 J	480 U	460 U	62 J	610 U	600 U
4-Chloroenilne	420 U	490 U	480 U	460 U	520 U	610 Ŭ	600 U
Hexachlorobutadiene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
bis(2-Chloroethoxy)Methane	420 U	490 U	480 U	460 U	520_U	610 U	600 U
4-Chloro-3-Methylphenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2-Methylnaphthalene	35 J	68 J	26 J	460 U	150 J	56 J_	72 J
Hexachlorocyclopentadiene	420 U	490 U	480 U	460 U	520_UJ	610 UJ	600 UJ
2,4,6-Trichlorophenol	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2,4,5-Trichlorophenol	1000 U	1200 U	1200 U	1100 U	1300 U	1500 U	1400 U
2-Chloronaphthalene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2-Nitroaniline	1000 U	1200 U	1200 U	1100 U	1300 U	1500 U	1400 U
Dimethylphthalate	420 U	490 U	480 U	460 U	520 U	610 U	600 U
Acenaphthylene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2,6-Dinitrotoluene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
3-Nitroaniline	1000 U	1200 U	1200 U	1100 U	1300_U	1500 U	1400 U
Acenaphthene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
2,4-Dinitrophenol	1000 U	1200 U	1200 U	1100 U	1300 UJ	_1500 UJ	1400 UJ
4-Nitrophenol	1000 U	1200 U	1200 U	1100 U	1300 U	1500 U	1400 U
Dibenzofuran	62 J	120 J	480 U	460 U	68 J	35 J	36 J
2,4-Dinitrotoluene	420 U	490 U	480 U	460 U	520 U	610 U	600 U
Diethylphthalate	420 U	490 U	480 U	460 U	520 U	610 U	600 U

Semivolatile Organic Analysis for Sediment Samples (Continued) Perma Treat

<u> </u>									
		Sample Location and Number							
Semivolatile		Concentrations in ug/kg							
Compound	ST01	ST02	ST03	ST04	ST05	ST06	ST07		
	•						Background		
4-Chlorophenyl-phenylether	420 U	490 U	480 U	460 U	520 U	610 U	600 U		
Fluorene	420 U	490 U	480 U	460 U	520 U	610 U	600 U		
4-Nitroaniline	1000 U	1200 U	1200 U	1100 U	1300 U	1500 U	1400 U		
4,6-Dinitro-2-Methylphenol	1000 U	1200 U	1200 U	1100 U	1300 UJ	1500 UJ	1400 UJ		
n-Nitrosodiphenylamine	420 U	490_U	480 U	460 U	520 U	610 U	600 U		
4-Bromophenyl-phenylether	420 U	490 U	480 U	460 U	520 U	610 U	600 U		
Hexachlorobenzene	420 U	490 U	480 U	460 U_	520 U	610 U	600 U		
Pentachlorophenol	1000 U	1200 U	1200 U	1100 U	1300 U	1500 U	1400 U		
Phenanthrene	64 J	99 J	100 J	26 J	340 J	300 J	120 J		
Anthracene	420 U	490 U	32 J	460 U	53 J	41 J	600 U		
Carbazole	420 U	490 U	480 U	460 U	54 J	58 J	600 U		
di-n-Butylphthalate	420 U	490 U	480 U	460 U	520 U	610 U	45 J		
Fluoranthene	30 J	45 J	200 J	37 J	600	600 J	150 J		
Pyrene	43 J	69 J	250 J	43 J	680 J	720 J	150 J		
Butylbenzylphthalate	420 U	490 U	480 U	460 U	520 UJ	610 UJ	600 UJ		
3,3'-Dichlorobenzidine	420 U	490 U	480 U	460 U	520 U	610 U	600 U		
Benzo(a)Anthracene	420 U	30 J	110 J	460 U	300 J	240 J	65 J		
Chrysene	36 J	55 J	160 J	25 J_	390 J	400 J	100 J		
bis(2-Ethylhexyl)Phthalate	420 UJB	450 UJB	480 UJB	460 UJB	520 UJB	610 UJB			
di-n-octylphthalate	420 U	490 U	480 U	460 U_	520 U	610 UJ	600 UJ		
Benzo(b)Fluoranthene	32 J	46 J	170 J	460 U	420 J	390 J	100 J		
Benzo(k)Fluoranthene	24 J	39 J	170 J	460 U	340 J	450 J	75 J		
Benzo(a)Pyrene	420 U	53 J	120 J	460 U	340 J	320 J	76 J		
Indeno(1,2,3-cd)Pyrene	420 U	38 J	83 J	460 U	320 J	270 J	61 J		
Dibenzo(a,h)Anthracene	420 U	490 U	480 U	460 U	520 U	610 U	600 U		
Benzo(g,h,i)Perylene	420 U	490 U	85 J	460 U	360 J	330 J	70 J		
Total Number of TICs	29	29	25	29	29	30	30		

sedim-s

Semivolatile Organic Analysis for Sediment Samples Tentatively Identified Compounds Perma Treat

reinia III	eat
Concentrations	in ug/kg

Concentrations in ug/kg							
	Retention	Estimated					
Compound Name	<u>Time</u>	Concentration					
S	ample ST01						
Unknown	2.080	7500 UJB					
3-Penten-2-one, 4-methyl-	3.190	180 UJNBA					
2-Pentanone, 4-hydroxy-4-met	3.649	12000 UJNBA					
Unknown Alkane	12.261	160 J					
Unknown Alkane	12.314	190 J					
Unknown Alkane	13.232	170 J					
Unknown Organic Acid	14.512	230 J 180 J					
Unknown Alkane Unknown Amide	15.559 16.243	160 UJB					
Unknown Amide	17.551	1800 UJB					
Unknown	18.092	390 J					
Unknown Alkane	18.330	490 J					
Unknown Alkane	18.676	340 J					
Unknown Alkane	18.975	320 J					
Unknown Alkane	19.308	620 J					
Unknown	19.594	350 J					
Unknown Amide	20.145	830 UJB					
Unknown	20.377	430 UJB					
Unknown	20.581	490 J					
Unknown	20.690	460 J					
Unknown	20.812	760 J					
Unknown	21.362	470 J					
Unknown	21.538	260 J					
Unknown	22.100	770 J					
Unknown	22.140	610 J					
Unknown	22.625	800 î					
Unknown Alkane	23.578	240 J					
Unknown	23.839	250 J					
Unknown	25.578	740 UJB					
	ample ST02						
Unknown	2.120	7900 UJB					
Unknown	2.186	450 JB					
2-Pentanone, 4-hydroxy-4-met	3.671	13000 UJNBA					
Unknown Alkane	12.267	250 J					
Unknown Alkane	12.320	260 J					
Unknown Alkane Unknown	13.233	270 J 360 J					
Unknown Organic Acid	14.398 14.552	790 J					
Unknown	16.615	790 J 710 J					
Unknown Amide	17.570	2000 UJB					
Unknown Alkane	18.350	810 J					
Unknown Alkane	19.339	930 J					
Unknown	19.621	460 J					
Unknown Alkane	19.814	720 J					
Unknown Amide	20.159	930 UJB					
Unknown	20.400	750 JB					
Unknown	20.607	980 J					
Unknown Alkane	20.711	860 J					
Unknown	20.849	1300 J					
Unknown	21.380	830 J					
Unknown Alkane	21.765	960 J					
Unknown	22.127	1100 J					
Unknown	22.168	640 J					
Unknown	22.651	1400 J					
Unknown	23.315	640 J					
Unknown	23.390	810 J					

Semivolatile Organic Analysis for Sediment Samples Tentatively Identified Compounds (Continued) Perma Treat Concentrations in ug/kg Estimated Retention Time Concentration Compound Name Sample ST02 (Continued) Unknown Alkane 24.354 660 J 24.864 540 J Unknown 25.594 820 UJB Unknown Sample ST03 2.146 7900 UJB Unknown 2.212 250 J Unknown 200 UJNBA 11000 UJNBA 3-Penten-2-one, 4-methyl-3.217 3.677 2-Pentanone, 4-hydroxy-4-met Unknown 11.406 240 UJB 190 J Unknown 12.223 12.315 Unknown Alkane 130 J 13.371 Unknown Organic Acid 120 J Unknown Organic Acid 14.389 290 J 14 448 100 J Unknown Unknown Organic Acid 14.528 480 J Unknown Organic Acid 15.934 110 J Unknown Organic Acid 16.054 140 J 160 UJB 16.240 Unknown Amide 16.991 Unknown Alkane 120 J 17.550 1100 UJB Unknown Amide 17.663 Unknown Alkane 130 J Unknown Alkane 19.528 160 J 20.128 1300 UJB Unknown Amide Unknown Alkane 490 J 20,662 Unknown Alkane 21.729 850 22.907 240 J Unknown Alkane 23.240 220 J Unknown 23.406 220 J Unknown 25.575 1100 UJB Unknown Sample ST04 6300 UJB Unknown 2.094 3.197 180 UJNBA 3-Penten-2-one, 4-methyl-2-Pentanone, 4-hydroxy-4-met 3.657 11000 UJNBA 11.407 260 UJB Unknown Unknown Cycloalkane 12.223 300 J 13.373 260 J Unknown Organic Acid Unknown Hydrocarbon 14.374 130 J 14.512 Unknown Organic Acid 310 J Unknown Amide 14.664 110 J Unknown Hydrocarbon 14.855 110 J Unknown 14.980 110 J Unknown Organic Acid 15.929 170 I 16.120 Unknown Amide 250 J 260 UJB Unknown Amide 16.239 17.545 2300 UJB Unknown Amide Unknown Alkane 17.664 160 J 140 J 18.310 Unknown Alkane Unknown Hydrocarbon 18.370 140 J 19.531 20.132 Unknown Alkane 250 J 1400 UJB Unknown Amide 20.661 Unknown Alkane 1000 J 20.807 240 J Unknown 21.734 Unknown Alkane 1300 J

22.906

540 J

Unknown Alkane

Semivolatile Organic Analysis for Sediment Samples Tentatively Identified Compounds (Continued) Perma Treat

	centrations in ug/kg	Estimated		
Compound Name	Retention Time			
		Concentration		
	le ST04 (Continued)	700 1		
Unknown	23.370	390 J		
Unknown	23.423	1200 J 230 J		
Unknown	24.318	180 J		
Unknown Unknown	24.821 25.575	350 UJB		
UIRIOWII		330 O1D		
	Sample ST05	0100 1110		
Jnknown	2.126	8400 UJB		
Unknown	2.192	230 J		
3-Penten-2-one, 4-methyl-	3.217	190 UJNBA		
2-Pentanone, 4-hydroxy-4-met	3.676	10000 UJNBA		
Naphthalene, -dimethyl-	9.805	150 J		
Jnknown Alkane	9.997	280 J		
Unknown	11.414	140 UJB		
Dibenzofuran, -methyl-	11.964	180 J		
Jaknown Allege	12.238	380 J		
Unknown Alkane	12.271 12.324	150 J 560 J		
Juknown Alkane		270 J		
Unknown Organic Acid	13.396	270 J 160 J		
Unknown Alkane	13.997	160 J 560 J		
Jnknown Organic Acid Jnknown	14.412 14.479	200 J		
Unknown Organic Acid	14.479	910 J		
Unknown Amide	14.707	170 J		
Unknown	14.895	210 J		
Unknown Alkane	15.565	210 J		
Unknown Amide	16.265	260 UJB		
Unknown Alkane	16.298	260 J		
Unknown Amide	17.564	2000 UJB		
Unknown Alkane	18.327	280 J		
Unknown Alkane	19.549	300 J		
Unknown Amide	20.150	1100 UJB		
Unknown Alkane	20.677	700 J		
Unknown Alkane	21.745	680 J		
Unknown Alkane	22.923	380 J		
Unknown	25.604	920 UJB		
	Sample ST06			
Jnknown	2.107	6600 UJB		
Unknown	2.172	230 JB		
3-Penten-2-one, 4-methyl-	3.210	220 UJNBA		
2-Pentanone, 4-hydroxy-4-met	3.657	11000 UJNBA		
Jnknown Alkane	9.994	160 J		
Unknown Cycloalkane	12.236	530 J		
Jnknown Alkane	12.269	170 J		
Jnknown Alkane	12.322	330 J		
Jnknown Organic Acid	12.839	170 J		
Jnknown	12.892	220 J		
Jnknown Alkane	13.238	190 J		
Jnknown Organic Acid	13.391	350 J		
Jnknown Hydrocarbon	13.471	230 J		
Jnknown Organic Acid	14.411	690 J		
Unknown Organic Acid	14.471	220 J		
Jnknown Organic Acid	14.551	1200 J		
Unknown	15.240	210 J		
Unknown Alkane	15.568	190 J		

Semivolatile Organic Analysis for Sediment Samples Tentatively Identified Compounds (Continued)								
Perma Treat								
Concentrations in ug/kg								
Conce	Retention	Estimated						
Compound Name	Time	Concentration						
	==	Concentration						
Sample ST06 (Continued)								
Unknown	15.957	500 J						
Unknown Organic Acid	16.072	500 J						
Unknown Amide	17.564	1600 UJB						
Unknown Alkane	18.324	320 J						
Unknown Alkane	19.543	350 J						
Unknown Amide	20.149	1200 UJB						
Unknown Alkane	20.681	1200 J						
Unknown Alkane	21.743	980 J						
Unknown	22.092	470 J						
Unknown	23.753	530 J						
Unknown	24.340	520 J						
Unknown	25.598	790 UJB						
Sample	ST07 (Background)							
Unknown	2.133	9700 UJB						
Unknown	2.330	180 J						
3-Penten-2-one, 4-methyl-	3.217	250 UJNBA						
2-Pentanone, 4-hydroxy-4-met	3.677	13000 UJNBA						
Unknown Alkane	9.999	210 J						
Unknown Cycloalkane	12.233	430 J						
Unknown Alkane	12.320	510 J						
Unknown Organic Acid	13.395	400 J						
Unknown Organic Acid	13.468	220 J						
Unknown Organic Acid	14.406	460 J						
Unknown Organic Acid	14.466	190 J						
Introven Organic Acid	14.546	740 J						
Unknown Amide	14.693	170 J						
Unknown	15.949	180 J						
Unknown Amide	16.143	570 UJB						
Unknown Amide	16.264	440 UJB						
Unknown Alkane	17.000	300 J						
Unknown Amide	17.569	3800 UJB						
Unknown Alkane	17.677	370 J						
Unknown Alkane	18.326	440 J						
Unknown Alkane	19.545	620 J						
Unknown Amide	20.148	1300 UJB						
Unknown Alkane	20.677	1600 J						
Unknown Hydrocarbon	20.797	430 J						
Unknown Alkane	21.748	1400 J						
Unknown Alkane	22.925	490 J						
.gammaSitosterol	23.752	850 JN						
Unknown	23.973	430 J						
Unknown	24.353	730 J						
Unknown	25.603	1000 UJB						
C	22.003	1000 030						

tic-sed

Pesticide/PCB Analysis for Sediment Samples							
Perma Treat							
			Sample L	ocation and	Number		
Pesticide/			Conce	ntrations in	ug/kg		
РСВ	ST01	ST02	\$1.03	ST04	ST05	2106	ST07
				<u></u>	<u> </u>		Background
Alpha-BHC	2.2 U	2.5 U	2.5 U	2.4 U	2.7 U	3.1 U	3.1 U
Beta-BHC	2.2 U	2.5 U	2.5 U	2.4 U	2.7 U_	3.1 U	3.1 U
Delta-BHC	2.2 U	2.5 U	2.5_U	2.4 U	2.7 U	5.7	3.4
Gamma-BHC (Lind.)	2.2	2.5 U	2.5 U	2.4 U	2.7 U	3.1 U	3.1 U
Heptachlor	2.2 U	2.5 U	2.5 U	2.4 U	3.2 P	3.1 U	3.8 P
Aldrin	2.2 U	2.5 U	2.5 U	2.4 U	2.7 U	3.1 U	3.1 U
Heptachlor Epoxide	2.2 U	2.5 U	2.5 U	2.4 U	5.0 P	3.1 U	3.1 U
Endosulfan I	2.2 U	2.5 U	2.5 U	2.4 U	2.7 U	3.1 U	3.1 U
Dieldrin	4.2 U	4.9 U	16 P	4.6 U	13 P	6.2 P	6.0 U
4,4'-DDE	4.2 U	4.9 U	4.8 U	4.6 U	5.2 U	6.1 U	6.0 U
Endrin	4.2 U	4.9 U	4.9 P	4.6 U	20 P	11 P	13 P
Endosulfan II	4.2 U	4.9 U	4.8 U	4.6 U	11 P	10 P	6.0 U
4,4'-DDD	4.2 U	4.9 U	4.8 U	4.6 U	5.2 U	6.1 U	6.0 U
Endosulfan Sulfate	22 U	4.9 U	4.8 U	4.6 U	5.2 U	6.1 U	6.0 U
4,4"-DDT	4.2 U	4.9 U	4.8 U	4.6 U	11 P	8.6 P	15 P
Methoxychlor	22 U	25 U	25 U	24 U	27 U	31 U	31 U
Endrin Ketone	4.2 U	4.9 U	4.8 U	4.6 U	5.2 U	6.1 U	6.0 U
Endrin Aideliyae	14 P	ló	4.8 P	4.6 U	16 P	19 P	8.3 P
Alpha-Chlordane	2.6 P	2.5 U	39 JPD	4.6 U	39 P	19 P	4.7 P
Gamma-Chlordane	2.7 P	2.5 U	37 P	2.4: U	35 P	20 P	5.0 P
Toxaphene	220 U	250 U	250 U_	240 U	270 U	310 U	310 U
Aroclor-1016	42 U	49 U	48 U	46 U	52 U	61 U	60 U
Aroclor-1221	85 U	100 U	97 U	94 U	110 U	120 U	120 U
Aroclor-1232	42 U	49 U	48 U	46 U	52 U	61 U	60 U
Aroclor-1242	42 U	49 U	48 U	46 U	52 U_	61 U	60 U
Aroclor-1248	42 U	49 U	48 U	46 U	52 U	61 U	60 U
Aroclor-1254	42 U	49 U	48 U	46 U	52 U	61 U	60 U
Aroclor-1260	42 U	49 U	48 U	46 U	52 U	61 U	60 U

pestsed

Inorganic Analysis for Sediment Samples Perma Trea.

	Sample Location and Number									
Metals and		Concentrations in mg/kg								
Cyanide	ST01	ST02	ST03	ST04	ST05	ST06	ST07			
}							Background			
Aluminum	2350 *	7570 *	9690 *	4950 *	12800 *	15800 *	9350 *			
Antimony	4.5 UJN	6.6 JBN	5.1 UJN	4.9 UJN	6.6 UJN	7.7 UJN	6.2 UJN			
Arsenic	163 *	179 *	23.0 *	5.3 *	9.9 *	10.7 *	7.3 *			
Barium	47.5 B	101	111	91.5	148	141	113			
Beryllium	0.20 B	0.50 B	0.73 B	0.37 B	0.79 B	0.64 B	0.62 B			
Cadmium	1.0 U	1.2 U	1.1 U	1.1 U	1.7 B	1.7 U	1.4 U			
Calcium	93200	68800	5570	11J0 B	13800	12100	3130			
Chromium	114	130	20.7	8.8	19.0	16.1	11.7			
Cobalt	3.5 B	7.4 B	8.2 B	4.6 B	11.5 B	8.6 B	9.6 B			
Copper	95.9	114	12.9	8.1	57.1	85.9	29.0			
Iron	7260 J*	14100 J*	22400 J*	8910 J*	16700 J*	15600 J*	16900 J*			
Lead	8.6 *	24.6 *	35.2 *	359 *	174 *	81.4 *	39.3 *			
Magnesium	8180	6150	1520	625 B	2630	2520	1650			
Manganese	286	525	495	1260	1360	3390	1220			
Mercury	0.13 U	0.15 U	0.15 U	0.14 U	0.19 U	0.22 U	0.18 U			
Nickel	7.2 B	14.6	10.7 B	4.2 B	26.8	15.3 B	12.1 B			
Potassium	491 B	1070 B	601 B	436 B	680 B	700 B	680 B			
Selenium	0.44 U	0.52 U	0.99 B	0.59 B	0.64 U	0.74 U	0.60 U			
Silver	0.46 U	0.55 U	0.52 U	0 57 B	0.67 U	0.79 U	1.1 B			
Sodium	132 B	225 B	160 B	63.0 B	295 B	254 B	176 B			
Thallium	1.2 U	1.4 U	1.3 U	1.3 U	1.7 U	2.0 U	1.6 U			
Vanadium	7.5 B	19.4	40.2	18.5	22.0	19.9 B	16.4 B			
Zinc	84.8	78.5	67.4	42.4	225	177	98.1			
Cyanide	3.2 U	3.9 U	3.6 U	3.5 U	4.7 U	5.5 U	4.4 U			

sedmetal

	7	Volatile Org		sis for Soil	Samples		THE RE	
			Perma T					
			Sa	mple Locat				
Volatile	1000000	4-			tions in ug			
Compound	SS01	SS02	SS03	SS04	SS05	SS06	SS07	SS08
								Background
Chloromethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Bromomethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Vinyl Chloride	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Chloroethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Methylene Chloride	15 UB	30 UB	12 UJB	11 UJB	14 UB	15 UB	12 UJB	13 UB
Acetone	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Carbon Disulfide	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,1-Dichloroethene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,1-Dichloroethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,2-Dichloroethene (total)	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Chloroform	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,2-Dichloroethane	12 U	22 U	12 U	II U	13 U	12 U	12 U	13 U
2-Butanone	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,1,1-Trichloroethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Carbon Tetrachloride	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Bromodichloromethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,2-Dichloropropane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
cis-1,3-Dichloropropene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Trichloroethene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Dibromochloromethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1.1.2-Trichloroethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Benzene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
trans-1,3-Dichloropropene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Bromoform	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
4-Methyl-2-Pentanone	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
2-Hexanone	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Tetrachloroethene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
1,1,2,2-Tetrachloroethane	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Toluene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Chlorobenzene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Ethylbenzene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Styrene	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Xylene (total)	12 U	22 U	12 U	11 U	13 U	12 U	12 U	13 U
Total Number of TICs *	0	0	0	0	0	0	0	0

^{*} Number, not concentrations, of tentatively identified compounds (TICs).

SOIL-VOL

Semivolatile Organic Analysis for Soil Samples Perma Treat

	Sample Location and Number							
Semivolatile	ļ	Concentrations in ug/kg						
Compound	SS01	SS02	SS03	SS04	SS05	SS06	SS07	SS08
			<u></u>	<u> </u>		<u></u>		Background
Phenol	29 _. J	37 J	20 J	20 J	27 J	400 U	380 U	420 U
bis(2-Chloroethyl)Ether	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2-Chlorophenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
1,3-Dichlorobenzene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
1,4-Dichlorobenzene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
1,2-Dichlorobenzene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2-Methylphenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,2'-oxybis(1-Chloropropane		730 U	400 U	370 U	420 U	400 U	380 U	420 U
4-Methylphenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	29 J
n-Nitroso-Di-n-Propylamine		730 U	400 U	370 U	420 U	400 U	380 U	420 U
Hexachloroethane	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Nitrobenzene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Isophorone	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2-Nitrophenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,4-Dimethylphenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
bis(2-Chloroethoxy)Methane		730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,4-Dichlorophenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
1,2,4-Trichlorobenzene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Naphthalene	110 U	730 U	42 J	70 J	420 U	400 U	380 U	31 J
4-Chloroaniline	410 UJ	730 UJ	400 UJ	370 UJ	420 UJ	400 UJ	380 UJ	420 UJ
Hexachlorobutadiene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
4-Chloro-3-Methylphenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2-Methylnaphthalene	410 U	730 U	46 J	85 J	420 U	400 U	380 U	61 J
Hexachlorocyclopentadiene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,4,6-Trichlorophenol	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,4,5-Trichlorophenol	990 U	1800 U	960 U	890 U	1000 U	960 U	930 U	1000 U
2-Chloronaphthalene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2-Nitroaniline	990 U	1800 U	960 U	890 U	1000 U	960 U	930 U	1000 U
Dimethyl Phthalate	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Acenaphthylene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,6-Dinitrotoluene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
3-Nitroaniline	990 UJ	1800 UJ	960 UJ	890 UJ	1000 UJ	960 UJ	930 UJ	1000 UJ
Acenaphthene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
2,4-Dinitrophenol	990 UJ	730 U	960 UJ	890 UJ	1000 UJ	960 UJ	930 UJ	1000 UJ
4-Nitrophenol	990 U	730 U	960 U	890 U	1000 U	960 U	930 U	1000 U
Dibenzofuran	410 U	730 U	84 J	170 J	420 U	400 U	380 U	420 U
2,4-Dinitrotoluene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Diethylphthalate	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
4-Chlorophenyl-phenylether	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Fluorene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
4-Nitroaniline	990 UJ	730 U	960 UJ	890 UJ	1000 UJ	960 UJ	930 UJ	1000 UJ
4,6-Dinitro-2-Methylphenol	990 U	730 U	960 U	890 U	1000 U	960 U	930 U	1000 U
n-Nitrosodiphenylamine	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
4-Bromophenyl-phenylether	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U

Semivolatile Organic Analysis for Soil Samples (Continued) Penna Treat

	Sample Location and Number							
Semivolatile			(Concentration	ons in ug/kg			···
Compound	SS01	SS02	SS03	SS04	SS05	SS06	SS07	SS08
				<u> </u>	<u></u>			Background
Hexachlorobenzene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Pentachlorophenol	990 U	1800 U	960 U	890 U	1000 U	960 U	930 U	1000 U
Phenanthrene	25 J	730 U	86 J	150 J	420 U	400 U	380 U	120 J
Anthracene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Carbazole	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
di-n-Butylphthalate	410 UJB	730 UJB	400 UJB	370 UJB	420 UJB	400 U	380 U	420 UJB
Fluoranthene	39 J	64 J	24 J	63 J	22 J	400 U	380 U	170 J
Pyrene	39 J	58 J	70 J	100 J	32 J	400 U	380 U	180 J
Butylbenzylphthalate	410 U	730 U	98 J	130 J	420 U	400 U	380 U	420 U
3,3'-Dichlorobenzidine	410 UJ	730 UJ	400 UJ	370 UJ	420 UJ	400 U.J	380 UJ	420 UJ
Benzo(a)Anthracene	410 U	730 U	400 U	38 J	420 U	400 U	380 U	69 J
Chrysene	31 J	37 J -	400 U	64 J	420 U	400 U	380 U	140 J
bis(2-Ethylhexyl)Phthalate	410 UJB	730 UJB	2000 B	370 U	420 UJB	400 UJB	380 UJB	420 UJB
di-n-Octyl Phthalate	410 UJ	730 U	400 U.J	370 UJ	420 UJ	400 UJ	380 UJ	420 UJ
Benzo(b)Fluoranthene	24 J	60 J	400 U	61 J	26 J	400 U	380 U	92 J
Benzo(k)Fluoranthene	24 J	730 U	400 U	370 U	420 U	400 U	380 U	100 J
Benzo(a)Pyrene	21 J	730 U	400 U	63 J	420 U	400 U	380 U	82 J
Indeno(1,2,3-cd)Pyrene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	53 J
Denzo(a,li)Anthracene	410 U	730 U	400 U	370 U	420 U	400 U	380 U	420 U
Benzo(g,h,i)Perylene	410 UJ	730 UJ	400 UJ	370 U.J	420 UJ	400 U.J	380 UJ	73 J
Total Number of TICs	13	14	20	20	12	9	20	20

soil-sv

Tentative	ganic Analysis for Soil So ly Identified Compounds Perma Treat	nmples
Con-	centrations in ug/kg	
Compound Name	Retention Time	Estimated Concentration
Compound Traine	Sample SS01	Concontration
7 Cyalobaya I Ol	5.53	130 UJBN
2-Cyclohexe-1-OL Unknown	6.02	640 J
Unknown	6.08	520 J
Unknown	6.38	170 J
5,5-Dimethylethyl-2(5H)-Fura	6.72	520 JN
1-Phenyl Ethanone	9.08	120 JN
2H-1-Benzopyran-2-One	15.48	310 JN
I-(I,I-Dimethylethyl)-2-Meth	17.70	210 UJBN
Unknown	18.92	140 J
Unknown Alkane	28.92	52 J
Unknown	29.60	95 J
Unknown Alkane	30.87	120 J
Unknown Alkane	31.97	93 J
	Sample SS02	
2-Cyclohexen-1-OL	5.47	170 UJBN
Unknown	6.00	1900 J
Unknown_	6.30	440 J
5,5-Diemthy-2(5H)-Furanone	6.63	1300 JN
Unknown	8.65	200 J
1-(1,1-Diemthylethyl)-2-Meth	17.63	300 UJB
Unknown	18.03	250 J
Unknown	18.83	330 J
Unknown Organic Acid	26.35	260 UJB
Unknown	29.50	290 J
Unknown Alkane	30.32	670 J
Unknown Alkane	31.87	850 J
Unknown_	37.58	560 J
Unknown	37.82	160 J
	Sample SS03	
Unknown Alkane	27.10	2300 J
Unknown	27.38	880 J
Unknown Unknown Alkane	27.50	950 J
Unknown Alkane Unknown Alkane	27.95 28.22	1400 J 900 J
Unknown Alkane Unknown Alkane	28.42	1900 J
Unknown Alkane	28.62	1200 J
Unknown Alkane	28.68	1100 J
Unknown Alkane	28.75	1300 J
Unknown Alkane	28.97	1400 J
Unknown Alkane	29.05	1100 J
Unknown Alkane	29.15	1100 J
Unknown Alkane	29.22	1000 J
Unknown	29.28	990 J
Unknown	29.37	940 J
Unknown	29.53	810 J
Unknown	29.67	760 J
Unknown	29.88	720 J
Unknown Alkane	29.98	970 J
Unknown	30.28	740 J

Semivolatile Organic Analysis for Soil Samples Tentatively Identified Compounds (Continued) Perma Treat Concentrations in ug/kg Estimated Retention Compound Name Time Concentration Sample SS04 840 J Unknown 6.07 660 J 24.97 Unknown Alkane Unknown Alkane 25.55 860 J 25.88 950 J Unknown Alkane 26.47 Unknown Alkane 1800 J 26.67 Unknown Alkane Unknown Alkane 920 J 27.33 2600 J Unknown Alkane 27.63 1000 J Unknown Alkane 27.80 1800 J Unknown Alkane 28.17 1500 J 28.47 980 J Unknown Alkane 28.65 1800 J Unknown Alkane 950 J Unknown Alkane 28.90 Unknown Alkane 28.97 1200 J 29.28 Unknown Alkane 1200 J 980 J 29.40 Unknown Alkane 29.50 910 J Unknown Alkane Unknown Alkane 30.22 1300 J 30.52 1100 J Unknown Unknown Alkane 30.60 940 J Sample SS05 2-Cyclohexen-1-OL 93 UJBN 5.55 1200 J Unknown 6.10 Unknown 5,5,-Limethyl-2(5H)-Furnsone 6.40 210 J 690 JN 6.73 8.73 17.72 29.63 Unknown 120 J 210 UJBN 1,(1,1-Diemthylethyl)-2-Meth Unknown 120 J 30.60 120 J Unknown Unknown Alkane 32.02 150 J Unknown 32.32 110 J Unknown 33.15 120 J 37.78 300 J Unknown Sample SS06 2-Cyclohexen-1-OL 100 UJBN 5.47 6.02 1100 J Unknown 210 J 370 JN Unknown 6.32 5,5,-Dimethyl-2(5H)-Furanone Unknown 6.65 8.65 150 J 180 UJBN 1,(1,1-Diemthylethyl)-2-Meth 17.62 Unknown 18.83 100 J 30.35 Unknown Alkane 110 J

31.92

140 J

Unknown Alkane

Semivolatile Organic Analysis for Soil Samples Tentatively Identified Compounds (Continued) Perma Treat Concentrations in ug/kg				
Compound Name	Retention Time	Estimated Concentration		
		Concentration		
2-Cyclohexen-1-OL	Sample SS07 5.53	89 UJBN		
Unknown	6.07	1000 J		
Unknown	6.37	330 J		
5,5,-Diemthy-2(5H)-Furanone	6.70	350 JN		
Unknown	8.72	160 J		
1,(1,1-Diemethylethyl)-2-Methy	17.70	220 UJBN		
Unknown Alkane	28.20	87 J		
Unknown Alkane	28.95	120 J		
Unknown Alkane	29.72	100 J		
Unknown	30.35	210 J		
Unknown Alkane	30.45	440 J		
Unknown Alkane	30.58	170 J		
Unknown Alkane	31.02	100 J		
Unknown Alkane	31.70	160 J		
Unknown	32.03	310 J		
Unknown	32.32	130 J		
Unknown	33.17	120 J		
Unknown Alkane	34.10	91 J		
Unknown	34.57	130 J		
Unknown	35.30	110 J		
Sample	SS08 Background			
Unknown	6.07	1 1100 J		
Unknown	6.37	610 UJB		
5,5,-Dimethyl-2(5H)-Furanone	6.70	370 JN		
Urknown	3.72	190 J		
1,(1,1-Diemethylethyl)-2-Methy	17.70	240 UJBN		
Únknown	19.78	210 J		
Unknown	23.08	150 J		
Unknown	23.15	150 J		
Unknown Alkane	26.47	120 J		
Unknown Alkane	28.93	120 J		
Unknown	29.38	110 J		
Unknown	29.72	110 J		
Unknown Alkane	30.45	290 J		
Unknown	30.62	210 J		
Unknown	30.97	180 J		
Unknown Alkane	32.02	220 J		
Unknown	32.58	360 J		
Unknown Alkane	32.67	230 J		
Unknown	34.73	180 J		
Unknown	34.87	150 J		

tic-soil

		Pestic	ide/PCB Analy	sis for Soil Sar	noles			
		r estre	Perma					
	T	:			on and Number			
Pesticide/			•	Conc. ntratio				
	CCO1	CCO2	0002			9906	5022	SS08
PCB	SS01	SS02	SS03	SSC4	SS05	SS06	SS07	
Alpha-BHC	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	- 2.2 UJ	2.0 UJ	2.0 UJ	Background 2.2 UJ
Beta-BHC	2.1 UJ	3.8 UJ	2.0 UJ	1.9 JJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Delta-BHC	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Gamma-BHC (Lindane)	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Heptachlor	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Aldrin	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Heptachlor Epoxide	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Endosulfan I	2.1 UJ	3.8 UJ	2.0 UJ	1.9 UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Dieldrin	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
4,4'-DDE	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
Endrin	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
Endosulfan II	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
4,4'-DDD	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
Endosulfan Sulfate	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
4,4'-DDT	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
Methoxychlor	21 UJ	38 UJ	20 UJ	19 UJ	22 UJ	20 UJ	20 UJ	4.2 UJ
Endrin Ketone	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	22 UJ
Endrin Aldehyde	4.1 UJ	7.3 UJ	4.0 UJ	3.7 UJ	4.2 UJ	4.0 UJ	3.8 UJ	4.2 UJ
Alpha-Chlordane	2.1 UJ	3.8 UJ	2.0 UJ	1.5 UJ	2.2 UJ	2.0 UJ	2.0 UJ	4.2 UJ
Gamma-Chlordane	2.1 UJ	3.8 UJ	2.0 UJ	1.: UJ	2.2 UJ	2.0 UJ	2.0 UJ	2.2 UJ
Toxaphene	210 UJ	380 UJ	200 UJ	19. UJ	220 UJ	200 UJ	200 UJ	220 UJ
Aroclor-1016	41 UJ	73 UJ	40 UJ	3'; UJ	42 UJ	40 UJ	38 UJ	42 UJ
Aroclor-1221	83 UJ	150 UJ	81 UJ	74 UJ	85 UJ	81 UJ	78 UJ	85 UJ
Aroclor-1232	41 UJ	73 UJ	40 UJ	37 UJ	42 UJ	40 UJ	38 UJ	42 UJ
Aroclor-1242	41 UJ	73 UJ	40 UJ	3" UJ	42 UJ	40 UJ	38 UJ	42 UJ
Aroclor-1248	41 UJ	73 UJ	40 UJ	37 UJ	42 UJ	40 UJ	38 UJ	42 UJ
Aroclor-1254	41 UJ	73 UJ	40 UJ	37 UJ	42 UJ	40 UJ	38 UJ	42 UJ
Aroclor-1260	41 UJ	73 UJ	40 UJ	37 UJ	42 UJ	40 UJ	38 UJ	42 UJ

Pestsoil

Inorganic Analysis for Soil Samples Perma Treat


ļ		· 		-,				
	Sample Locations and Number							
Metals				Concentrations				
and	SS01	SS02	SS03	SS04	SS05	SS06	SS07	SS08
Cyanide								Background
Aluminum	17200	16800	10900	6750	11000	15100	15200	5450
Antimony	4.2 UJN	7.2 UJN	18.9 JN	8.3 UJN	5.1 JBN	4.7 UJN	5.2 UJN	5.0 UJN
Arsenic	11.1 JS*	46.9 J*	5490 J*	193 JS*	348 J*	175 J*	636 J*	11.5 J*
Barium	403	136	112	69.5	205	118	124	74.9
Beryllium	0.87 B	0.82 B	0.52 B	0.38 B	0.80 B	0.69 B	0.73 B	0.81 B
Cadmium	0.83 U	1.4 U	1.0 U	0.77 U	0.96	0.94 U	1.0 U	1.00 U
Calcium	11100	5320	102000	167000	15700	11200	10700	24700
Chromium	26.1	39.0	2640	159	1700	157	266	14.2
Cobalt	21.3	9.5 B	6.1 B	4.7 B	27.0	8.5 B	7.8 B	10.7 B
Copper	19.0 JN	45.1 JN	2510 ЛN	132 JN	1430 JN	151 JN	427 JN	8.2 JN
Iron	22200 JE	20900 JE	13200 JE	9760 JE	33900 JE	18000 JE	19400 JE	20100 JE
Lead	16.7	25.0	31.7	11.2	114	14.6	15.9	22.5
Magnesium	2740	2460	7910	11500	4330	2300	3960	3170
Manganese	2780 JE	526 JE	529 JE	332 JE	1440 JE	421 JE	375 JE	1000 JE
Mercury	0.06 UJN	0.09 JBN	0.10 JBN	0.05 UJN	0.06 JBN	0.06 UJN	0.06 UJBN	0.06 UJN
Nickel	19.6	24.5	14.7	14.3	33.2	17.2	18.3	14.4
Potassium	1570	1610	1490	1570	1100	834	1240	356 U
Selenium	0.41 JBN_	0.54 JBN	0.81 JBN	0.43 JBNW	0.31 JBNW	0.19 JBN	0.52 JBN	0.34 JBN
Silver	0.79 U	1.4 U	0.99 U	0.73 U	0.80 U	0.90 U	1.00 U	0.95 U
Sodium	107 B	64.8 B	152 B	177 B	113 B	54.5 B	73.5 B	114 B
Thallium	0.27 B	0.30 B	0.16 U	0.12 JBW	0.25 B	0.19 B	0.18 B	0.16 U
Vanadium_	39.1	32.2	24.0	14.2	25.2	32.8	30.8	28.0
Zinc	56.4 JEN*	75.1 JEN*	126 JEN*	79.3 JEN*	232 JEN*	41.6 JEN*	49.3 JEN*	84.8 JEN*
Cyanide	0.63 U	0.93 U	0.62 U	0.60 U	0.63 U	0.61 U	0.58 U	0.66 U


soilmet

Appendix E

Perma-Treat of Illinois, Inc.

Site Photographs





FRE00156 9.19.94 Date: 7/29/93

Time: 0940

Photo Taken By: M. Lee

Photo Number: 01

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of photo: South

Description: Area north of treatment building, exposed to chromated copper arsenate release in 1988.



Date: 7/29/93

Time: 0950

Photo Taken By: M. Lee

Photo Number: 02

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: Southeast side of treatment building and drip pad.



Date: 7/29/93

Time: 1040


Photo Taken By: M. Lee

Photo Number: 03

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of photo: South

Description: View of central yard from northwest corner of site.



Date: 3/23/94

Time: 0850

Photo Taken By: J. Albano

Photo Number: 04

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southwest

Description: Soil sample location SS01.



Time: 0852

Photo Taken By: J. Albano

Photo Number: 05

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southwest

Description: Expanded view of soil sample location SS01.



Date: 3/23/94

Time: 0915

Photo Taken By: J. Albano

Photo Number: 06

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southwest

Description: Soil sample location SS02.



Time: 0918

Photo Taken By: J. Albano

Photo Number: 07

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: South

Description: Expanded view of soil sample location SS02.



Date: 3/23/94

Time: 0947

Photo Taken By: J. Albano

Photo Number: 08

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: View of soil sample location SS03.



Time: 1000


Photo Taken By: J. Albano

Photo Number: 09

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: View of soil sample location SS04. Placard incorrectly reads "SS03." Correct sample location is SS04.



Date: 3/23/94

Time: 1005


Photo Taken By: J. Albano

Photo Number: 10

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southwest

Description: Expanded view of soil sample locations SS03 and SS04.



Time: 1028


Photo Taken By: J. Albano

Photo Number: 11

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: West

Description: Soil sample location SS05.



Date: 3/23/94

Time: 1030

Photo Taken By: J. Albano

Photo Number: 12

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: West

Description: Expanded view of soil sample location SS05.



Time: 1040

Photo Taken By: J. Albano

Photo Number: 13

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Soil sample location SS06.



Date: 3/23/94

Time: 1042

Photo Taken By: J. Albano

Photo Number: 14

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Expanded view of soil sample location SS06.



Time: 1050

Photo Taken By: J. Albano

Photo Number: 15

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Soil sample location SS07.



Date: 3/23/94

Time: 1052

Photo Taken By: J. Albano

Photo Number: 16

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: Expanded view of soil sample location SS07.



Time: 1110


Photo Taken By: J. Albano

Photo Number: 17

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Sediment sample location ST01.



Date: 3/23/94

Time: 1112

Photo Taken By: J. Albano

Photo Number: 18

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: Expanded view of sediment sample location ST01.



Time: 1125

Photo Taken By: J. Albano

Photo Number: 19

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Sediment sample

location ST02.



Date: 3/23/94

Time: 1127

Photo Taken By: J. Albano

Photo Number: 20

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Expanded view of sediment sample location ST02.



Time: 1150

Photo Taken By: J. Albano

Photo Number: 21

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: Sediment sample

location ST03.



Date: 3/23/94

Time: 1152

Photo Taken By: J. Albano

Photo Number: 22

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Northwest

Description: Expanded view of sediment sample location ST03.



Time: 1405

Photo Taken By: J. Chitwood

Photo Number: 23

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Sediment sample location ST07.



Date: 3/23/94

Time: 1407

Photo Taken By: J. Albano

Photo Number: 24

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southeast

Description: Expanded view of sediment sample location ST07.



Time: 1440

Photo Taken By: J. Albano


Photo Number: 25

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: West

Description: Sediment sample

location ST05.



Date: 3/23/94

Time: 1520

Photo Taken By: J. Albano

Photo Number: 26

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southeast

Description: Sediment sample location ST06.



Time: 1522

Photo Taken By: J. Albano

Photo Number: 27

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southeast

Description: Expanded view of sediment sample location ST06.



Date: 3/23/94

Time: 1545

Photo Taken By: J. Albano

Photo Number: 28

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Background soil sample location SS08. Placard incorrectly reads ST06. Correct sample location number is SS08.



Time: 1548

Photo Taken By: J. Albano

Photo Number: 29

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: East

Description: Expanded view of background soil sample location SS08.



Date: 3/23/94

Time: 1606

Photo Taken By: J. Albano

Photo Number: 30

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: North

Description: Sediment sample

location ST04.



Time: 1608

Photo Taken By: J. Albano

Photo Number: 31

Location/ILD #: Perma-Treat of Illinois, Inc. ILD 063 698 971

Direction of Photo: Southeast

Description: Expanded view of sediment sample location ST04.



Appendix F

Perma-Treat of Illinois, Inc.

Representative Well Logs

III. Dept of Pul ealth Yellow Copy — War. _ontractor Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPPINGFIELD, ILLINOIS, 62706 DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well a. Dug Bore Curb material b. Driven c. Drilled XX Tubular d. Grout:	. Drive Pip . Finished . Gravel Po	uried Slab: Y pe Diam in Drift acked	es _in. De In I	_No pthft. RockXX
		(KIND)	FROM (Ft		TO (FI)
	<u>}</u> (<u> </u>]		
			 		
	L				
2.	Distance to Neares	t:			
	Building	MOME_Ft.	Seepage Tile	Field_	MONE
	Cess Pool			ast iron	
	Privy				
	Septic Tank				
	Leaching Pit	WF	Manure Pile_		NONE
3.	Is water from this v	vell to be us	ed for human	consump	tion?
	Yes No	YX	- 1	1	
4.	Date well complete	d	3/16	173	
5.	Permanent Pump In	stalled? Y	'es V	No	繁
	Manufacturer 10e	btrol	Туре_	IH.P	Subme
	Capacity	gpm. Dep	th of setting $_$		80 It.
		V	' YY No		
	Well Top Sealed?				
7.	Pitless Adaptor Ins	talled?	es	_ No	XX
7.	Well Top Sealed? Pitless Adaptor Ins Well Disinfected?	talled?	es	_ No	XX
7. 8.	Pitless Adaptor Ins	talled? Y	es _XX No _	_ No	<u> </u>
7. 8. 9.	Pitless Adaptor Ins Well Disinfected?	talled? Y	es _XX No _	_ No	

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Property owner SPELL PIPE	[កាភិ	Well No. 1	
Address iVuiTON, 1Li			,
Driller FALSK LEPP, Ja.	Licens	e No.	<u>558</u>
11. Permit No. 1960/			
12. Water from Formation	13. Cou	nty <u>WI 14. [.</u>	- <u>- 50k</u>
at depth toft.		22/11	
14 Screen: Diamin.	Twp	_99_	
Length:ft. Slot	Rge	23	1-1-1-1
	Elev	·}	
15 Casing and Line: Pipe		<u> </u>	نطلط
Diam. (in) Kind and Weight	From (Ft.)	To (11)	SHOW CATION IN
6 5/8 19# 591.94	+1	12 1	TION PLAT
5 1/2 GAINANIZNU	40	300 5	きらきしら
16. Size Hole below casing:			
17. Static level <u>S'7</u> It. below cash		sh is 1	4.
above ground level. Pumping leve			
gpm for hours.		when pumpm	,
		- <u> </u>	Luguana
18 FORMATIONS PASSED THROUG	11	THICKNESS	DEPTH OF BOTTOM
CLAY		<u></u>	6
LIGHT BROWN SANDSTONE		15167	2510m
BLACK SLATE		3160	26
COAI,		<u> </u>	27
LIGHT CAAY SHALE		1	31
SANDY SHAIR		_	35
SULLEY LIGHT GRAY SEUDSTONE		6	ــــــــــــــــــــــــــــــــــــــ
SHALEY SANDY LIMESTONE		<u> </u>	1:1:
SHAIFY SANDSTOPE		/1	46
(CONTINUE ON SEPARATE SHEET IF)	SECESSARY.		<u> </u>
		TE_/3/4/	72
	,		Page 1 of
Gui Dela Co.			195e 1 0+

IDPH 4.065 10/68

1 1 1

White Copy — .
III. Dept. of Public Health
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Curb materi b. Driven c. Drilled XX	Bored Ho al Bu Drive Pip Finished Gravel Pa	oried Slab: Yes e Diami in Drift	n. Dept	No h	
	d. Grout:	(KIND)	FROM (FL.)		(Ft)	 -
		CELENT	10		0	
				·.,	×	
				7		
2.		NONE Ft.	Seepage Tile F Sewer (non Cas			
		NONE	Sewer (Cast iro	on)	NO	TE_
		NONE				
		NOFE				·IK_
3.		nis well to be use		nsumpti	on?	
		No XX				
		leted				
5.	Permanent Pum	p Installed? Y	es	_ No	- III	—
	Capacity	gpm. Dept	h of setting	 -		ft.
6		Yes XX				
	•	Installed? Y			XX	
	•	d? Yes XX				
		ubmitted? Yes				
RE	MARKS:					
	PH 4. 065 /68	. /	·		alv Pro-	

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Property owner SHELL PIPE 1	1:20	Well No	1
Address MARION DAIL			
Driller FRAUK PEPP, JR.	Licens	e No925	
11. Permit No. <u>19687</u>			
12. Water from Formation	13. Cou	nty <u>Wili</u> u	A-SON
at depthtoft.	Sec	26	
14. Screen: Diamin.		. 98	+
Length:ft. Slot	Rae	212 -	
	-	/ 	
15. Casing and Liner Pipe			
Diam (in) Kind and Weight	From (Ft)	To (Ft)	SHOW DCATION IN
			CTION PLAT
			
16. Size Hole below casing:	:-		:
17. Static levelft. below casin		shia T	· · · · · · · · · · · · · · · · · · ·
above ground level. Pumping leve			
gpm forl hours	:	when pumph	iy ut
gpin tot nours	· · · · · · · · · · · · · · · · · · ·		
18. FORMATIONS PASSED THROUG	11	THICKNESS	DEPTH OF BOTTOM
GRAY SHALE	······	6	52
SAUDY GRAY SHALE		99	61
PARK CRAY SHALE		37	.98
COAI	·		101
GRAY SHAIF, LIME SEAMS		25	126
SHALE		4	130
LIMESTONE		3	133
SHALE & LIMESTONE			130
SANDSTONE	· · · · · · · · · · · · · · · · · · ·		139
(CONTINUE ON SEPARATE SHEET IF I	NECESSARY)	- -
SIGNED French /depp) ₁ DA	TE_10/6	/72
0 1 (/·	, ,	page cof 6
			•

INSTRUCTIONS TO DRIPTERS

White Copy —
III, Dupt, of Publicates th
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well			
		Bored H	ole Diami	n. Depth <u>300</u> f
	Curb materi	al E	Buried Slab: Yes	No
	b. Driven	Drive Pi	pe Diamin	. Depthf
	c. Drilled XX	Finished	in Drift	In Rock_XX
	Tubular	Gravel P	acked	•
	d. Grout:	(KIND)	FROM (Fi.)	TO (Ft.)
		CENENT	10	Q
		- Little Case -	į.	<u> </u>
				.
2.	Distance to Ne		C	1.3
			Seepage Tile Fi Sewer (non Cast	
	Cess Pool		•	n)
	Privy		Barnyard	
	•		Manure Pile	
2	•			
ა.			sed for human cor	isumption (
		No		
	Date well comp			
5.			Yes	
	Manufacturer	<u> </u>	Type	
_			th of setting	
			No	
			Yes N	
8.	Well Disinfecte	d? Yes	No	
9.	Water Sample St	ubmitted? Ye		ło <u></u> .oł
				Marie Star Service
RE	MARKS:		•	Tr.
		,	•	100 CO
		/	•	1 51 "(8)

GEOLOGICAL AND WATER SURVEYS WELL RECORD

_Well No. 1

10. Property owner SIELL PIPE INUE

10,		1201-201-201-201-	·		
	Addres	is FIARTON, ILLI	1.012		1434
	Driller	FRANK HEPP, JR.	License	No. 92-5	90
11.	Permit	No. 19687	Date	0/25/12	
12.	Water f	rom . Formation	13. Count	$\lambda = \frac{\Lambda_1 T T T V}{\Lambda_1 T T T V}$	1.:20M
		th toft.	Sec.	26	
14.	Screen	: Diamin.	Twp _	93	
	Length	i:ft. Slot	Rge	23	
			Elev.		
15.	Casing	and Liner Pipe		L_	
Dia	m. (ln)	Kind and Weight	From (Ft) T	o (FI)	SHOW CATION IN
			1		TION PLAT
16.	Size H	ole below casing:	in		
		levelft. below casi		is	ft
		ground level. Pumping lev			
		hours.		• •	,
18.		ORMATIONS PASSED THROUGH	GIK	THICKNESS	DEPTH OF BOTTOM
10.					BOTTOM
S	AIE		· · · · · · · · · · · · · · · · · · ·	1	11,3
S	MDSTC	ome & Shale		31611	11;6161
_SI	IALE			1:61	1118161
_S/	MDSTO)I.E		1 1	14916
		SANDSTONE		613	150
_15/	MUSTO	ME	 	2	152
SI	IALEY	SANDSTONE		3	155
_S/	NDSTO	NZ	· · · · · · · · · · · · · · · · · · ·	20	175
VI	ERY HA	RD SANDSTONE		15	190
(CC	וטאודאס	E ON SEPARATE SHEET IF	NECESSARY)		

SIGNED French Idepp Jr. DATE 10/6/72

White Copy
III, Dupt, of Public Health
Yellow Copy - Well Contractor
Blue Copy - Well Owner

10/68

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	b. Driven c. Drilled X	ol B Drive Pip	uried Slab: Ye e Diam in Drift	_in. Depth_300ft. esNo in. Depthft In Rock_XX
	d. Grout:	(KIND)	FROM (Ft.)	TO (Ft.)
2.	Distance to Nec	rest:		· · · · · · · · · · · · · · · · · · ·
•	Building	Ft.	Seepage Tile	Field
	Cess Pool		Sewer (non Co	ast Iron)
	Privy		Sewer (Cast i	ron)
			Barnyard	
	Leaching Pit		Manure Pile_	
3.	Is water from th			consumption?
4	Yes Date well compl			
	-			No
Э.				
				ft.
_	Well Top Sealed	-	-	
	-			No
	Well Disinfected			
9.	Water Sample Su	bmitted? Ye	8	_ No
RE	MARKS:		· .	

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10.	-	ty owner SITELL PIPE LI			
	Addres	ERANK HEPP, In.	Licone	a No. Q	2 <u>-</u> 588
11	Permit	No. 19687	Date	8/25/12	_=_1110
12.	Water	rom Formation /	13. Com	nty WILL	TARSON
				26.	
1.4		th to ft. : Diam in.		·26 ·98	
14.		:ft. Slot		·2E	
	Lengti	R. 515t		·	
		and Liner Pipe	Liev	·	
Die	m. (in.)	Kind and Weight	From (Ft)	To (Ft)	SHOW LOCATION IN
				s	ECTION PLAT
16	Siza H	ole below casing:	in		
		levelft. below casi		h is	ft
• / ·		ground level. Pumping leve			
		nhours.			,
18.	P	ORMATIONS PASSED THROUGH		THICKNE	SS DEPTH OF BOTTOM
	HALK			3	198
				7.5	
	STIVE THE	& SANDSTONE		17	215
	Midst	ONE	 	2	217
\$	HALE	& SANDSTONE		3	220
ئـــــــــــــــــــــــــــــــــــــ	ANDST	ONE	 	3	223
	SHALE	MOTEUNAE &		2	225
	HALE			1	226
5	MNDST	ONE & SHALE		2	22岁
	MANDST	ONE		7_	235
(CC	יטאנדאכ	E ON SEPARATE SHEET IF	NECESSARY)	

ED Frank Hepp, Jr.

_ DATE 10/c/22_

White Copy
IN. Dept of Pult daith
Yellow Copy - Well Contractor

PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFF

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well		
	a. Dug Bored		
	Curb material	Buried Slab: Yes_	No
	b. Driven Drive	Pipe Diamin.	Depthft.
	c. Drilled XX Finish	ned in Drift	In Rock XX.
	Tubular Grave	l Packed	
	d. Grout: (KIND)	FROM (Ft.)	TO (Ft.)
	<u> </u>		
	L	1	K.A.
2.	Distance to Nearest:		
	Building F		
	Cess Pool		•
•	Privy		
	Septic Tank		
_	Leaching Pit		
3.	Is water from this well to be		sumption?
	Yes No		
	Date well completed		
5.	Permanent Pump Installed?		
	Manufacturer		
_	Capacity gpm. I	Depth of setting	
	Well Top Sealed? Yes		
	Pitless Adaptor Installed?		
8.	Well Disinfected? Yes	No	
9.	Water Sample Submitted?	YesN	o
	•		
RE	MARKŠ:		
	•		

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Propert	y owner SHELL PIPE I	are	Well No	
Addres	s MARION, ILLI	NOTS	 	
Driller	FRANK HEPP JR	Licens	e No. 02-51	311
11. Permit	No. 17557	Date	8/25/72	
12. Water f	rom Formation ,	13. Cour	ity <u>WILI Thi</u>	SON
	htoft.		26	
14. Screen	: Diamin.		95	
Length	:ft. Slot	Rge.	2\bar{b}	
			·	
15. Casing	and Liner Pipe		<u> </u>	
Diam (in)	Kind and Weight	From (Ft)	To (F1)	SHOW CATION IN
\$ \$				TION PLAT
		 		
16 Size H	ole below casing:	ł		
	levelft. below casi		h is	ft
	ground level. Pumping leve			
	hours.	•••	man pampin	· · · · · · · · · · · · · · · · · · ·
18. F	OFMATIONS PASSED THROUG	iH	THICKNESS	DEPTH OF BOTTOM
10.				BOTTOM
SHALE &	SANDSTONE			_237
SHAIE			8	2115
SHALE &	SANDSTONE		10	255
SAMUSTO	NE		4	259_
SHALE		_~	3	262
SANDY S	HAIE		9	271
COAL		•	1 1	272
SHALE			1716"	28916
LIMESTO			611	290
	ON SEPARATE SHEET IF	NECESSARY		
	. Λ		10/	1
	, ,, ,,		1 1 1 7	/ PD &

IDPH 4.065 10/68

Blue Copy - Well Owner

page 5 of 6

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706 DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION BE SURE TO PROVIDE PROPER WELL LOCATION.

1 ERS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.		Bored				
	b. Driven	Drive	Pipe Di	am	_in. Dep	thf:
	c. Drilled X	X Finis	shed in D	rift	In Re	ock <u>XX</u>
		Grave	el Packe	d	••••	
	d. Grout:	(KIND)		PROM (Fi.)	T	0 (Ft)
					 -	
		-				
2.	Distance to Ne	arest:				
	Building		7t. See	page Tile	Field	
	Cess Pool					
	Privy		Sew	er (Cast i	ron)	
	Septic Tank			nyard		
	Leaching Pit _		Mar	ure Pile_		
3.	Is water from th			or human	consumpt	ion?
Λ	Yes Date well comp			,		
	Permanent Pum					
	Manufacturer			Туре_		
	Capacity	gpm.	Depth of	setting_	,	f
6.	Well Top Seale	d? Yes	·	_ No		
7.	Pitless Adapto	Installed?	Yes		. No	
8.	Well Disinfecte	d? Yes_		No	• • • • • • • • • • • • • • • • • • • •	
9.	Water Sample S	ubmitted?	Yes		_ No	
RE	MARKS:					
	РН 4.065 /68			·		

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Property owner SHELL PIPE	11.03	Well No	
AddressMAGION. 1LL	LNOIS		
Address <u>MAGION, ILLI</u> Driller <u>FRANK</u> HEPP, Ja.	Licens	e No. <u>02-5</u>	nd
11. Permit No. 19687	Date	11/52/15	
11. Permit No. 1968?	_ 13. Coun	ty_LTILL	1.90%
Formation	800	26	TIT
at depth toft. 14. Screen: Diamin.	Эес. Т	00	-}}
Length:ft. Slot	Twp		_ _ _
Dengtiiit. 510t	_		
15. Casing and Liner Pipe	Elev		
Dlam (in) Kind and Weight	From (Ft)	To (F1)	SHOW CATION IN
			TION PLA
<u></u>	1		
16. Size Hole below casing			
17. Static levelft. below casin			
above ground level. Pumping leve	1 ft.	when pumpin	g at
gpm for hours.			
18. FORMATIONS PASSED THROUGH	I	THICKNESS	DEPTH OF
SHALE & LINE		3	2:23
CILATE & CAMBONO			
SHALE & SANUSTONE		2	295_
SANDSTONE		5	300
			}
			
			<u> </u>
			1
			
		<u> </u>	<u> </u>
		- 	ļ,-
,		į	1
(CONTINUE ON SEPARATE SHEET IF N	ECESSARY		
, , , , , , , , , , , , , , , , , , , ,			

SIGNED Frank No mp, DATE 10/6/72

White Copy — ealth
III. Dept of P ealth
Yellow Copy — ontractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTE. NO MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well			
	a. Dug	Bored Ho	ole Diamin	. Depthft.
	Curb materia	al Br	uried Slab: Yes_	No
	b. Driven	Drive Pip	e Diamin.	Depthft.
			in Drift	
			cked	
	d. Grout:	,		·····
		(KIND)	FROM (Pt.)	TO (Ft.)
		NERT	0	30
		· · · · · · · · · · · · · · · · · · ·		
		L	<u></u>	L
2.	Distance to Ne	rest:		
	Buildinge	7 <u>5 </u>	Seepage Tile Fie	eld
	Cess Pool		Sewer (non Cast	iron)
	Privy		Sewer (Cast iron)
	Septic Tank		Barnyard	
	Leaching Pit_	····	Manure Pile	
3			ed for human con	
	_			=
A	Date well comp	leted do	of 27/6	9
- T-	Date well comp	- T1-11-12	- i	9
5.	Permanent rum	p installed r ' i	° T	NO
	Manufacturer		1 ype	f.
	Capacity	gpm. Dept	in or setting	II.
			No	
7.	Pitless Adaptor	Installed? Y	esN	o
8.	Well Disinfecte	d? Yes	No	
q	Water Sample St	ıbmitted? Yes	NO TON	10' X
			0 43	· i ^
BF)	MARKS. L.	me estern	o alrove	L Can
			•	4
mo	of anew	er bei	auxe I	do mot
	•	J :	•	
5.	ell or :	Set A	umps.	
	0	1)	umps.	
	PH 4.065	V		al con
10,	768		1	Art Barrier
				经租赁

CEOLOGICAL	VMD	WATER	SURVEYS WEL	1	RECORE
GEGUAGICAL.	MINIT	WAILED	DODAETS MET	. I .	. DEALIDE

	A					
10	Day los	0	Well No			
10.	Property owner May 10-	na man	Well No	00		
	Address RFD 9	r) asim	مال را د	C ~	-1182	
	Permit No	Licens Date		7.7	-17.	
	Water from Sand Store	Date 13. Cour			amen's	
12.	Formation		•			
	at depth <u>100</u> to <u>110</u> ft.	Sec.				
14.	Screen: Diamin.		25			
	Length:ft. Slot	-	-3 E	. {		
15	Casing and Liner Pipe	Elev				
		r————				
_	m. (in.) Kind and Weight	From (Ft)	To (Ft)		SHOW CATION IN	
	2" D Black	_0_	91		TION PLAT S 75/4	
	1 23 ll.	{ {			IC NW NU	, ,
]		NE,		,
16.	Size Hole below casing: 6寸	in.		,		
17.	Static level 20 ft. below casi	na top whic	h is	8	" ft.	
	above ground level. Pumping leve	el <u>PO</u> ft.	when pu	mpino	at 10	
	gpm for 4 hours.		•	•	,	
10	FORMATIONS PASSED THROUGH	:W	тніск	NFSS"	DEPTHOF	
18.	TORREST TIME OF				DEPTH OF BOTTOM	
	(lay rellour	Sanke.	3	o '	30'	
	77/50		1	~ ′	9 1	
	Same	gru		0	<u> </u>	
	Sandolonel	9000	<u>-7</u>	1	11.5	
		0 /				
					· · · · · · · · · · · · · · · · · · ·	
						
			Ì			
	NATINGE ON CEDADATE CHEET IN	MEGERRANIA		 ,	<u></u>	
ιcι	ONTINUE ON SEPARATE SHEET IF))	•	J	,	
SIGI	VED (lambo a)	Leer DA	TE	0/=	11/19	
J. (1)	7	DK	/	7	1	

FILL IN ALL PERTINENT INFORM ION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEAL I, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ale in a si

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well						
	a. Dug, Bored, H	ole Diamin	. Depthft.				
	Curb material B	Burled Slab: Yes_	No				
	b. Driven Drive Pipe Diamin. Depthit.						
	c. Drilled X Finished	in Drift	In Rock X				
	Tubular Gravel P	acked					
	d. Grout: (KIND)	FROM (Ft.)	TO (Ft)				
	a . T	Coconel level					
	Cenen.	Lecount Level	المراج ال				
	<u> </u>	_l	L				
2.	Distance to Nearest:						
	BuildingFt.	Seepage Tile Fie	ld				
	Cess Pool	Sewer (non Cast					
	Privy						
	Septic Tank						
•	Leaching Pit						
2	Well furnishes water for human		_ 11				
3.							
3. 4 .	Date well completed						
	Date well completed Permanent Pump Installed? Yes	esDate	No				
4.	Permanent Pump Installed? You ManufacturerT	esDate ypeLocat	No				
4.	Permanent Pump Installed? You Manufacturer	esDate ypeLocat Setting	NoFt.				
4 . 5 . 6 .	Permanent Pump Installed? Ye Manufacturer	esDate ypeLocat I Setting oType	No ionFt.				
4 . 5 .	Permanent Pump Installed? Your Manufacturer	ppeLocat Setting Type Ves No	NoFt.				
4 . 5 . 6 .	Permanent Pump Installed? You Manufacturer Ty Capacity gpm. Depth of Well Top Sealed? Yes No Pitless Adapter Installed? You Manufacturer Yes	esDate ypeLocat I Setting oType YesNo Model Numb	No ionFt. er				
4. 5. 6. 7.	Permanent Pump Installed? Ye Manufacturer Ty Capacity gpm. Depth of Well Top Sealed? Yes No Pitless Adapter Installed? Ye Manufacturer How attached to casing?	esDate ypeLocat I Setting DType YesNo Model Numb	No ionFt. er				
4. 5. 6. 7.	Permanent Pump Installed? Ye Manufacturer Ty Capacity gpm. Depth of Well Top Sealed? Yes No Pitless Adapter Installed? Ye Manufacturer How attached to casing? Well Disinfected? Yes	esDateLocat I Setting DType YesNo Model Numb	NoFt.				
4. 5. 6. 7.	Permanent Pump Installed? Ye Manufacturer Ty Capacity gpm. Depth of Well Top Sealed? Yes No Pitless Adapter Installed? Ye Manufacturer How attached to casing? Well Disinfected? Yes Pump and Equipment Disinfect	esDate ypeLocat I Setting oType YesNo Model NumbNo ed? Yes	NoFt.				
4. 5. 6. 7.	Permanent Pump Installed? You Manufacturer	esDate ypeLocat I Setting oType YesNo Model NumbNo ed? Yes	NoFt.				
4. 5. 6. 7. 8. 9.	Permanent Pump Installed? Ye Manufacturer	esDate ypeLocat I Setting oType YesNo Model NumbNo ed? Yes Type	NoFt.				
4. 5. 6. 7. 8. 9.	Permanent Pump Installed? Ye Manufacturer	esDate ypeLocat I Setting oType YesNo Model NumbNo ed? Yes Type	NoFt.				
4. 5. 6. 7. 8. 9.	Permanent Pump Installed? Ye Manufacturer	esDate ypeLocat I Setting oType YesNo Model NumbNo ed? Yes Type	NoFt.				
4. 5. 6. 7. 8. 9.	Permanent Pump Installed? Ye Manufacturer	esDate ypeLocat I Setting oType YesNo Model NumbNo ed? Yes Type	NoFt.				

GEOLOGICAL AND WATER SURVEYS WELL RECORD.

10. Property owner Lycs	Caba E	ETT Lug C	Well No.	·	
Address Marian	IL				
Driller Rov. Bea					
11. Permit No					<u></u>
12. Water from Says	ollon		,,	11	arroa
at depth <u>Y40</u> to <u>40</u>			118		
14. Screen: Diam.			. <u>_9.</u> \$_		
Length:ft. Slo	t	-	3£	1	
15. Casing and Liner Pip	đ	Elev	/. 		
Diam. (in.) Kind and	Weight	From (Ft)	To (Fl.)	1.00	SHOW CATION IN
6" 280 Was	1. steel	<i>+1</i>	395	BEC	TION PLAT
				535	·
				(11)A	
16. Size Hole below casis	ng: <i>la</i>	in.	_, .	~ ,	
17. Static levelft.					
above ground level.	Pumping lev	el ft.	when pu	mping	y at
gpm for hours.	,				
18. FORMATIONS PAS	BED THROUG	Н	THICK	NE 58	DEPTH OF BOTTOM
10.			THICK	NE88	DEPTH OF BOTTOM
Chay Grave L			THICK	NE88	
Chay Gravet				, ' !	15
Chay Gravel Yellow sandst			THICK	, ' !	15 1 L 3.2
Chay Gravel Yellow sandst Gray Sandstone	íne			, ' !	15' 14 3.2 3.3
Chay Coravel Yellow SandsTone Bheak Hard	Shele			, ' !	15' 14 3.2 3.3 3.5
Chay Cravel Yellow sandst Gray SandsTone Bheak Hard Soft Gray S	shele.			, ' !	15' 14 3.2 3.3 3.5 3.8
Chay Cravel Yellow sandst Gray SandsTane Bheak Hard Saft Gray S Gray LinesTane	shele.			, ' !	15' 14 3.2 3.3 3.5 3.8 42
Chay Cravel Yellow sandst Gray SandsTone Bheak Hard Soft Gray S	shele.			, ' !	15' 3.2 3.3 3.5 3.8 4.2 45'
Chay Coravel Yellow sandstone Bheak Harf Soft Gray S Coray Linestone Coray sandstone Coray sandstone Coray sandstone	shele.		13	, ' !	15' 14 3.2 3.3 3.5 3.8 42
Chay Coravel Yellow SandsTane Bheak Hard Sett Gray S Coray LinesTone Ceray SandsTine Coray SandsTine Coray SandsTine Coray SandsTine Coray SandsTine	Shope hale.	NECESSARY		1 1 2 3 4	15' 3.2 3.3 3.5 3.8 4.2 45'
Chay Coravel Yellow SandsTane Bheak Hard Sett Gray S Coray LinesTone Ceray SandsTine Coray SandsTine Coray SandsTine Coray SandsTine Coray SandsTine	Shope hale.	NECESSARY	/s	/ / / 2 3 4/ \$	15 14 3.2 3.3 3.5 3.8 4.2 4.5 4.8
Chay Coravel Yellow sandstone Bheak Harf Soft Gray S Coray Linestone Coray sandstone Coray sandstone Coray sandstone	Shope hale.	NECESSARY	/s	/ / / 2 3 4/ \$	15' 3.2 3.3 3.5 3.8 4.2 45'

1DPH 4.065 1/74 - KNB-1

willing the men as that

...nite Ccoy —
III. Dep L of Public Health
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL DRIGINAL TO 5 TATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well					
	a. Dug Bored Hole Diamin. Depthit.					
	Curb material Buried Slab: YesNo					
	b. Driven in. Depth ft.					
	c. Drilled Finished in Drift In Rock					
	Tubular V . Gravel Packed					
	(KIND) FROM (Ft.) TO (Ft.)					
	HOLECUTIONS GL. 70					
	. ""					
_						
2.	Distance to Negrest:					
	Building Ft. Seepage Tile Field / Sewer (non Cast iron) / 5 7					
	Cess Pool No Sewer (non Cast Iron) 157					
	Privy Sewer (Cast iron) Na					
	Septic Tank 15a Barnyard Na					
	Leaching Pit No Manure Pile IV A					
3.	Well furnishes water for human consumption? Yes Yes No					
	Date well completed 9-24-1980					
5.	Permoment Pump Installed? YesDateNoNoNoNoNoNoNoNoNo_					
	Manufacturer Type Location					
	Capacitygpm. Depth of SettingFt.					
	Well Top Sealed? Yes No No Type					
7.	Pitless Adapter Installed? Yes NoNo					
	ManufacturerModel Number					
	How attached to casing?					
В.	Well Disinfected? Yes YCS No					
9.	Pump and Equipment Disinfected? YesNo					
0.	Pressure Tank Sizegal. Type					
	Location					
l.	Water Sample Submitted? YesNoNoNo					
E	MARKS:					
	,					

War to the

GEOLOGICAL AND WATER SURVEYS WELL RECORD

0. Proper	rty owner £	Lecrd Mi	lynard	. Well No). <u> </u>	<u></u>	
Addre	ss Riks	F3 BOX 3	5 Mar	17h	IL.		
Drille	· Gear	FB. E. Ke	Licens	se No. 🏒	22	-14	4
1. Permi		197	Date _	9-	17-	-/98	Ì
2. Water	from 100	nn. SFAd	13. Cou	nty W/	Lia	MSO	n
	th 135 to	ormation	Sec		. —		_
				7	<i>P</i> -		
	n: Diam h:ft.	•	Twp		· 🗷		
Lengu	n:R.	310(-	. <u>2 E</u>	· [_		
S Coolo	g and Liner	Dina	Elev	v. 	- [
	-		r		, L	- 	
Diam. (In.)		and Weight	From (Ft.)	To (F1)	LO	MHOW CATION	IH
6_	PVC.	Sec 40	1	70	ARC	TION P	LAT
					SU.	Sw	NI
	 				1		
	FORMATIONS	PASSED THROUG)H	тніск	NE 88	DEPTH	o,r
CIZV	x 521				45		<u> </u>
. •	_		. /		7.	7	بر
Sha	12. 8- L	3/Uennu	<u> </u>		10	1-5.	بد
Sha	C Gt	8×			43	9	8
Lime	STOR	e Brown	1		6	10	4
Shice	1e & 0	IZTE D	BLK		31	13	5
Shal	e # 5	and DZI	- <i>K</i>		30	161	5_
Sano	whi	Te.			34	199	,
		le Darle	<u>, </u>		16	215	<i></i>

(CONTINUE ON SEPARATE SHEET IF NECESSARY)

SIGNED SLENGE KLESSATE 9-25-1980

White Copy —

111. Dept. of Publicalth

Yellow Copy — Well Contractor

Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTE NO MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well a. Dug Bored Hole Diamin. Depthft. Curb material Buried Slab: YesNo b. Driven Drive Pipe Diamin. Depthft. c. Drilled Finished in Drift In Rock Tubular Gravel Packed d. Grout: (KIND) FROM (FL.) TO (FL.) XFRT 0 3 9
2.	Distance to Nearest: Building 2 D Ft. Seepage Tile Field Cess Pool Sewer (non Cast iron) Privy Sewer (Cast iron) Septic Tank > 5 ' Barnyard
	Leaching Pit Manure Pile Is water from this well to be used for human consumption? Yes No
	Permanent Pump Installed? YesNo
7. 8.	Pitless Adaptor Installed? YesNoNoNoNo
REN	Water Sample Submitted? YesNoNONONONO
ne IDF 10/	f Set or Sell Jumps.

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10.	Property owner	Asias	Well No) _		
		nano	_	7,8,0	7,	
	Driller Canco 9. Bre	Licens			- 4187	
11	Permit No. 7426.	Date	57	111	169	
	Water from Jen Just	13. Com	nty 9/	i07	17,1,31	+3 4~
	at depth 55 to 60 ft.		17.			
1.4	Screen: Diamin.		. <u>95</u>	• `	╂╼╂╼╂═┩	
14.	Length:ft. Slot			-		
	Zengtiitt. biot	-	· _ .	- L		
15.	Casing and Liner Pipe	Lie	/. 			
Die	m. (in) Kind and Weight	From (Ft)	To (Ft)	}	SHOW CATION IN	
	For Black.	0	39	SEC	TION PLAT	
	1006-			80%	N, 300'C	w of
	new Searling			SE	N, 300'0 /C SE	รเบ้ร∉็
16.	Size Hole below casing: 6"		<u> </u>	,	, -	
	Static level _ 5 ft. below casi		ch is	К	" ft.	
	above ground level. Pumping leve					
	gpm for 4 hours.		•	•	•	
18.	FORMATIONS PASSED THROUG	ill	THICK	NESS	DEPTH OF BOTTOM	
	Gallen C. Sa		2	4	3 0	
		//		 -		_
	Dandy Iha	<u> </u>	1 5	ζ,	1.5	
			}			
			_			
	·····		_			
(CC	ONTINUE ON SEPARATE SHEET IF J	NECESSARY)	<u></u>		
•	/ 1			1	/	
SIGI	VED Com (1)	CCC DA	TE	<u> 5/</u>	<u>Ce/ (5,</u> 5	
			,	/ /	/ '	
	/					

Malto Copy —
III. Dept. of Public Health
How Copy — Porti Contractor
Lac Copy — Porti Contractor

FILL IN ALL PERTINENT INFOLMATION REQUESTED AND HAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD ILLIHOIS, 67/61. DO NOT DETACH COLOGICAL WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION RE. ONT

Tibulor		ed in Drift In P. Packed	ock	at d 14. S se
d. Crast:	nib)	(F) (F1) T	0 (80)	l., er
				15. Co:
2. Distance to He	daniana Amest:			6
Building Cess Pool	10 FL	Seepage Tile Field Sewer (non Cast iron).		
Privy		Sewer (Cost iron)		16 Size
Poptic Tank		Burnyard		17 Stat
Leaching Pit _ 3. Well funishes		Manure Pilean consumption? Yes		ebo gpm
4. Date well com	pleted	une 22/74 Yes_Dete		
. Pennosent Pur	no Installed?	Yes_Dele	_No	15.
		Type Locates Locates		
6 Well Top Scele	at yes the	NoT,		. Sa
		YesPost		
How atteched	to caring?			
8. Well 1) .infect				
C Manager and Const	-	ected? Yes No 1. Type		
-				
Pressore Monk				
Fr. Presser e Mank Docation H. Mater S. ple S	Submitted? Y	/cs/	-	
Fr. Presser e Mank Docation H. Mater S. ple S	Submitted? Y	lesllo	-	
Pressure Mank Docation H. Mater St. ple S	Submitted? Y	les	-	((11

GEOLOGICAL AND WATER SULVEYS WOLL BLACE D
10. Property owner 18 19 19 19 19 19 19 19 19 19 19 19 19 19
1). Print 11. 305 66 Lett. 9 1/19. 12. Ville from Sand stone 13 Count Williamon
at depth 102 to 155.ft. 16. S reen: Diam
15. Certae and Liner P
Blastic Sac 40 0 50 NWAW
16 Size Hole hele - cyain p in
17 Static level
15. FORMATIONS PASSED TOROUGH THEORIES 1
Sand stone with Shale layer 115 160
(C. GIRUE ON SEPARATI, SHEET D' IG CLS. (A)